

Editor in Chief: **Robert M. Califf, MD**, Durham, N.C.

Editor: **Daniel B. Mark, MD, MPH**, Durham, N.C.

Managing Editor: **Patricia K. Hodgson**, Durham, N.C.

Assistant Managing Editor: **Barbara J. Kindred**, Durham, N.C.

AHJ

American Heart Journal

Founded in 1925

Associate Editors

Robert W. Anderson, MD, Durham	John K. Harrison, MD, Durham	L. Kristin Newby, MD, Durham	William E. Sanders, Jr, MD, Chapel Hill
Thomas M. Bashore, MD, Durham	James G. Jollis, MD, Durham	Christopher M. O'Connor, MD, Durham	Leslee Shaw, PhD, Atlanta
Elizabeth R. DeLong, PhD, Durham	Robert H. Jones, MD, Durham	E. Magnus Ohman, MD, Durham	Richard M. Stack, MD, Durham
Christopher B. Granger, MD, Durham	William E. Kraus, MD, Durham	Eric D. Peterson, MD, Durham	Gary L. Stiles, MD, Durham
Joseph C. Greenfield, Jr., MD, Durham	Kerry L. Lee, PhD, Durham	Harry R. Phillips, III, MD, Durham	James E. Tcheng, MD, Durham
Robert A. Harrington, MD, Durham	Robert J. Lefkowitz, MD, Durham	Thomas Ryan, MD, Durham	J. Marcus Wharton, Durham

Editorial Board

Kirkwood F. Adams, Jr., MD	Kenneth A. Ellenbogen, MD	Dean J. Kereiakes, MD	Bertram Pitt, MD
Frank V. Aguirre, MD	Stephen G. Ellis, MD	Morton J. Kern, MD	Jeffrey J. Popma, MD
Elliott M. Antman, MD	David P. Faxon, MD	James K. Kirklin, MD	Eric N. Prystowsky, MD
Paul W. Armstrong, MD	Gary S. Francis, MD	Neal S. Kleiman, MD	Rita F. Redberg, MD
William F. Armstrong, MD	Curt D. Furberg, MD	George J. Klein, MD	Gary S. Roubin, MD
Stephen R. Bailey, MD	Joseph C. Gardiner, PhD	Genell L. Knatterud, PhD	Hartzell V. Schaff, MD
Gust H. Bardy, MD	Myron C. Gerson, MD	Joel Kupersmith, MD	Heinrich R. Schelbert, MD, PhD
George A. Beller, MD	Mihai Gheorghiadu, MD	Gervasio A. Lamas, MD	Kevin A. Schulman, MD
Daniel S. Berman, MD	Lee Goldman, MD	Thomas H. Lee, MD	Thomas N. Skelton, MD
Philip F. Binkley, MD	John R. Guyton, MD	James E. Lock, MD	Sidney C. Smith, Jr., MD
Robert O. Bonow, MD	Frank E. Harrell, Jr., PhD	Floyd D. Loop, MD	Mark R. Starling, MD
Blase A. Carabello, MD	Robert C. Hendel, MD	Thomas H. Marwick, MD	lynne W. Stevenson, MD
Melvin D. Cheitlin, MD	James A. Hill, MD	Barry M. Massie, MD	William G. Stevenson, MD
W. Randolph Chitwood, Jr., MD	Mark A. Hlatky, MD	D. Douglas Miller, MD	Alan N. Tenaglia, MD
David J. Cohen, MD	Judith S. Hochman, MD	Fred Morady, MD	Pierre Theroux, MD
Lawrence H. Cohn, MD	David R. Holmes, Jr., MD	Kenneth G. Morris, MD	Eric J. Topol, MD
N. Anthony Coles, MD	Jeffrey M. Isner, MD	David C. Naftel, PhD	Mario S. Verani, MD
Delos M. Cosgrove, MD	Alice K. Jacobs, MD	Peter M. Okin, MD	Richard A. Walsh, MD
James L. Cox, MD	lynne L. Johnson, MD	Brian Olshansky, MD	W. Douglas Weaver, MD
Charles J. Davidson, MD	William B. Kannel, MD	Milton Packer, MD	Andrew S. Wechsler, MD
David L. DeMets, PhD	David A. Koss, MD	Carl J. Pepine, MD	David O. Williams, MD
John P. DiMarco, MD, PhD	Arnold M. Katz, MD	Joseph K. Perloff, MD	Paul G. Yock, MD
Pamela S. Douglas, MD	Barry T. Katzen, MD	Marc A. Pfeffer, MD, PhD	James B. Young, MD
Kim A. Eagle, MD	Sanjiv Kaul, MD	Louise Pilote, MD	

VOLUME 134

COPYRIGHT © 1997 BY

MOSBY-YEAR BOOK, INC.

All rights reserved

Printed in the United States of America

Author index*

A

- Aarsland T (see Larsen et al). 1997;134:435-41
- Achenbach S, Moshage W, Diem B, Bieberle T, Schibgilla V, Bachmann K. Effects of magnetic resonance imaging on cardiac pacemakers and electrodes. 1997;134:467-73
- Adachi H, Nguyen PH, Belardinelli R, Hunter D, Jung T, Wasserman K. Nitric oxide production during exercise test in chronic heart failure. 1997;134:196-202
- Adamec R (see Zimmermann et al). 1997;134:1019-28
- Adams KF (see Califf et al). 1997;134:44-54
- Adams MG (see Drew et al). 1997;134:474-8
- Akagi T, Hashino K, Sugimura T, Ishii M, Eto G, Kato H. Coil occlusion of patent ductus arteriosus with detachable coils. 1997;134:538-43
- Al-Mohammad A (see Fath-Ordoubadi et al). 1997;134:62-8
- Alexander KP, Barsness GW, Miller JM, Tung CY. Session highlights from the American College of Cardiology Meeting: March 16-19, 1997. 1997;134:138-54
- , Peterson ED. Coronary artery bypass grafting in the elderly. 1997;134:856-64
- Alfonso F, Fernandez-Ortiz A, Goicolea J, Hernandez R, Segovia J, Phillips P, Bañuelos C, Macaya C. Angiographic evaluation of angiographically complex coronary lesions. 1997;134:703-11
- Allen HD (see Schutte et al). 1997;134:527-31
- Allen JW (see Zhang et al). 1997;134:772-8
- Alli C (see Lombardo et al). 1997;134:557-64
- Alt E, Ammer R, Lehmann G, Pütter K, Ayers GM, Pasquantonio J, Schömig A. Patient characteristics and underlying heart disease as predictors of recurrent atrial fibrillation after internal and external cardioversion in patients treated with oral sotalol. 1997;134:419-25
- Ammash NM, Warnes CA, Connolly HM, Danielson GK, Seward JB. Mimics of Ebstein's anomaly. 1997;134:508-13
- Ammer R (see Alt et al). 1997;134:419-25
- Anderson AS, Krauss D, Lang R. Cardiovascular complications of malignant carcinoid disease. 1997;134:693-702
- Andrews R (see Walsh et al). 1997;134:872-8
- Antman EM (see Tanasijevic et al). 1997;134:622-30
- Apicella C (see Bonaduce et al). 1997;134:165-72
- Aragoncillo P (see Vilacosta et al). 1997;134:495-507
- Armagnan D (see Davies et al). 1997;134:220-8
- Atwood JE (see Do et al). 1997;134:672-9
- Aubry P (see Steg et al). 1997;134:248-52
- Auler JO Jr (see Bocchi et al). 1997;134:737-44
- Ayers GM (see Alt et al). 1997;134:419-25

B

- Bachmann K (see Achenbach et al). 1997;134:467-73
- Bagger JP (see Botker et al). 1997;134:229-37
- Bailey KR (see Roger et al). 1997;134:924-9
- Baim DS (see Krumholz et al). 1997;134:337-44
- Ballal RS (see Rubin et al). 1997;134:83-92
- Ballester M (see Martí et al). 1997;134:1133-7
- Bañuelos C (see Alfonso et al). 1997;134:703-11
- Barron HV, Viskin S, Lundstrom RJ, Wong CC, Swain BE, Truman AF, Selby JV. Effect of β -adrenergic blocking agents on mortal-

- ity rate in patients not revascularized after myocardial infarction: data from a large HMO. 1997;134:608-13
- Barsness GW (see Alexander et al). 1997;134:138-54
- Batin P (see Nolan et al). 1997;134:939-44
- Battle E (see Vilacosta et al). 1997;134:495-507
- Battaglia S (see Henry et al). 1997;134:1037-43
- Bayés de Luna A (see Homs et al). 1997;134:181-7
- Beatt KJ (see Fath-Ordoubadi et al). 1997;134:62-8
- Beevers DG (see Lip et al). 1997;134:764-71
- Beghetti M, Gow RM, Haney I, Mawson J, Williams WG, Freedom RM. Pediatric primary benign cardiac tumors: a 14-year review. 1997;134:1107-14
- Belardinelli L (see Lee et al). 1997;134:799-806
- Belardinelli R (see Adachi et al). 1997;134:196-202
- Bellotti G (see Bocchi et al). 1997;134:737-44
- Benamer H (see Steg et al). 1997;134:248-52
- Benedict CR (see Patten et al). 1997;134:37-43
- Beni S (see De Castro et al). 1997;134:656-64
- Bergelson BA, Fishman RF, Tommaso CL. Abrupt vessel closure: changing importance, management, and consequences. 1997;134:362-81
- Berger PB (see Chareonthaitawee et al). 1997;134:639-46
- Bernà L (see Martí et al). 1997;134:1133-7
- Bersin RM, Stacpoole PW. Dichloroacetate as metabolic therapy for myocardial ischemia and failure. 1997;134:841-55
- Betocchi S (see Bonaduce et al). 1997;134:165-72
- Beverelli F (see Henry et al). 1997;134:1037-43
- Bharati S (see Schutte et al). 1997;134:527-31
- Biddle TL (see Hannan et al). 1997;134:1120-8
- Bieberle T (see Achenbach et al). 1997;134:467-73
- Bigger JT Jr (see Bloomfield et al). 1997;134:316-20
- (see Curtis et al). 1997;134:787-98
- Bilazarian S (see Dubrey et al). 1997;134:994-1001
- Bjergaard OP (see Hansen et al). 1997;134:548-52
- Blann AD (see Lip et al). 1997;134:764-71
- Bloomfield DM, Kaufman ES, Bigger JT Jr, Fleiss J, Rolnitzky L, Steinman R. Passive head-up tilt and actively standing up produce similar overall changes in autonomic balance. 1997;134:316-20
- Blumenthal JA (see Hayano et al). 1997;134:411-8
- Boccalatte M (see Bonaduce et al). 1997;134:165-72
- Boccarra A (see Steg et al). 1997;134:248-52
- Bocchi EA, Auler JO Jr, Guimarães GV, Carmona MJ, Wajngarten M, Bellotti G, Pileggi F. Nitric oxide inhalation reduces pulmonary tidal volume during exercise in severe chronic heart failure. 1997;134:737-44
- Bogaard HJ (see Woltjer et al). 1997;134:450-5
- Bonaduce D, Petretta M, Betocchi S, Iannicello A, Marciano F, Apicella C, Losi MA, Boccalatte M, Chiariello M. Heart rate variability in patients with hypertrophic cardiomyopathy: association with clinical and echocardiographic features. 1997;134:165-72
- Borst C (see Pasterkamp et al). 1997;134:680-4
- Botker HE, Frøbert O, Møller N, Christiansen E, Schmitz O, Bagger JP. Insulin resistance in cardiac syndrome X and variant angina: influence of physical capacity and circulating lipids. 1997;134:229-37
- Boughalem K (see Henry et al). 1997;134:1037-43
- Braunwald E (see Tanasijevic et al). 1997;134:622-30
- Brinker J (see Krumholz et al). 1997;134:337-44
- Broccolino M (see Lombardo et al). 1997;134:557-64
- Bronzwaer JGF (see Woltjer et al). 1997;134:450-5
- Brown KA (see Heller et al). 1997;134:105-11
- Burchardt H (see Torp-Pedersen et al). 1997;134:S25-30
- Burger W (see Weis et al). 1997;134:306-15
- Burns WJ (see Timmis et al). 1997;134:1099-106
- Burszty M, Kadr H, Tilvis R, Martina B, Oigman W, Talberg J, Kobrin I. Mibefradil, a novel calcium antagonist, in elderly patients with hypertension: favorable hemodynamics and pharmacokinetics. 1997;134:238-47

*July, pp. 1-154; August, pp. 155-336; September, pp. 337-586; October, pp. 587-786; November, pp. 787-984; December, pp. 985-1142.

- Buske AP, Farb A, Tang A, Smialek J, Virmani R. Fibromuscular dysplasia of small coronary arteries and fibrosis in the basilar ventricular septum in mitral valve prolapse. 1997;134:282-91

C

- Cabin HS (see Krumholz et al). 1997;134:337-44
 Cachin JC (see Pérez et al). 1997;134:745-51
 Calandrelli M (see Iparraguirre et al). 1997;134:631-8
 Califf RM. Introduction. 1997;134:S53-4
 —, Adams KF, McKenna WJ, Gheorghiadu M, Uretsky BF, McNulty SE, Darius H, Schulman K, Zannad F, Handberg-Thurmond E, Harrell FE Jr, Wheeler W, Soler-Soler J, Swedberg K. A randomized controlled trial of epoprostenol therapy for severe congestive heart failure: the Flolan International Randomized Survival Trial (FIRST). 1997;134:44-54
 —, Mark DB. Issues of cost-effectiveness in the use of antithrombotic therapy for ischemic heart disease. 1997;134:S87-95
 —, —. Lessons for the editors. 1997;134:1-2 (Editorial)
 Camarano G (see Vernon et al). 1997;134:835-40
 Caminal P (see Homs et al). 1997;134:181-7
 Camm AJ (see Kautzner et al). 1997;134:1002-4
 Cannon DS (see Curtis et al). 1997;134:787-98
 Cannon CP (see Gibson et al). 1997;134:351-4
 — (see Tanasijevic et al). 1997;134:622-30
 Capomolla S, Pozzoli M, Opasich C, Febo O, Riccardi G, Salvucci F, Maestri R, Sisti M, Cobelli F, Tavazzi L. Dobutamine and nitroprusside infusion in patients with severe congestive heart failure: hemodynamic improvement by discordant effects on mitral regurgitation, left atrial function, and ventricular function. 1997;134:1089-98
 — (see Mortara et al). 1997;134:879-88
 Carmona MJ (see Bocchi et al). 1997;134:737-44
 Carreras F (see Martí et al). 1997;134:1133-7
 Carrió I (see Martí et al). 1997;134:1133-7
 Cartoni D (see De Castro et al). 1997;134:656-64
 Carville C (see Pérez et al). 1997;134:745-51
 Casanova S (see Henry et al). 1997;134:1037-43
 Caspi A (see Davies et al). 1997;134:220-8
 Castaigne A (see Pérez et al). 1997;134:745-51
 Castillo JA (see Vilacosta et al). 1997;134:495-507
 Chamberlain DA. Treatment after myocardial infarction: changes in the last decade—a look back. 1997;134:S5-8
 Chang H (see Shyu et al). 1997;134:551-6
 Chang M-S (see Lee et al). 1997;134:387-94
 Chareonthaitawee P, Christian TF, O'Connor MK, Berger PB, Higano ST, O'Keefe JH, Spain MG, Grines CL, Gibbons RJ. Noninvasive prediction of residual blood flow within the risk area during acute myocardial infarction: a multicenter validation study of patients undergoing direct coronary angioplasty. 1997;134:639-46
 Chen S-A (see Lee et al). 1997;134:387-94
 Chen Y-J (see Lee et al). 1997;134:387-94
 Cheng J-J (see Lee et al). 1997;134:387-94
 Cherng W-J (see Wang et al). 1997;134:1058-65
 Chiang C-E (see Lee et al). 1997;134:387-94
 Chiariello M (see Bonaduce et al). 1997;134:165-72
 Chlouverakis GI (see Kochiadakis et al). 1997;134:459-66
 Chou TM (see Drew et al). 1997;134:474-8
 Christian TF (see Chareonthaitawee et al). 1997;134:639-46
 Christiansen E (see Botker et al). 1997;134:229-37
 Cisar LA (see Philipp et al). 1997;134:978-84
 Clapp SK (see Tantengco et al). 1997;134:1082-8
 Cleman M (see Krumholz et al). 1997;134:337-44
 Cobelli F (see Capomolla et al). 1997;134:1089-98
 — (see Mortara et al). 1997;134:879-88
 Codd MB (see Hennessy et al). 1997;134:685-92
 Coelho OR (see Davies et al). 1997;134:220-8
 Cohen DJ (see Krumholz et al). 1997;134:337-44
 Cohen MC, Eagle KA. Expert opinion regarding indications for coronary angiography before noncardiac surgery. 1997;134:321-9
 Collen D (see Vanderschueren et al). 1997;134:213-9
 Collier BD (see Smart et al). 1997;134:822-34
 Committee Members of the Type A Behavior Pattern Conference (see Hayano et al). 1997;134:1029-36
 Compos de Albuquerque D (see Davies et al). 1997;134:220-8
 Connolly HM (see Ammash et al). 1997;134:508-13
 Conti C (see Iparraguirre et al). 1997;134:631-8
 Cooley DA (see Schoebel et al). 1997;134:587-602
 Coste P (see Metz et al). 1997;134:131-7
 Cotter B (see Ohmori et al). 1997;134:1066-74
 Cowan C (see Nolan et al). 1997;134:939-44
 Cowley AJ (see Walsh et al). 1997;134:872-8
 Crilly RJ (see Glazier et al). 1997;134:266-73
 Crump R (see Shandling et al). 1997;134:544-50
 Cupples LA (see Mendes et al). 1997;134:207-12
 Curtis AB, Cannon DS, Bigger JT Jr, DiMarco JP, Estes NAM III, Steinman RC, Parides MK. Baseline characteristics of patients in the Coronary Artery Bypass Graft (CABG) Patch Trial. 1997;134:787-98
 Curtis S (see Walsh et al). 1997;134:872-8

D

- Däbritz S (see Massin et al). 1997;134:298-305
 Dadkhah S (see Hussain et al). 1997;134:719-27
 D'Agostino RB (see Kannel et al). 1997;134:758-63
 D'Aloia A (see Faggiano et al). 1997;134:203-6
 d'Amati G (see De Castro et al). 1997;134:656-64
 Danielson GK (see Ammash et al). 1997;134:508-13
 Darius H (see Califf et al). 1997;134:44-54
 Davidoff R (see Mendes et al). 1997;134:207-12
 Davidson CJ (see Timmis et al). 1997;134:1099-106
 Davies GJ, Kobrin I, Caspi A, Reisin LH, Compos de Albuquerque D, Armagnian D, Coelho OR, Schneeweiss A. Long-term antianginal and antiischemic effects of mibefradil, the novel T-type calcium channel blocker: a multicenter, double-blind, placebo-controlled, randomized comparison with sustained-release diltiazem. 1997;134:220-8
 DAVIT Study Group (see Hansen et al). 1997;134:S48-52
 Dawson IG (see Leung et al). 1997;134:1052-7
 DeBuono BA (see Hannan et al). 1997;134:1120-8
 De Castro S, d'Amati G, Cartoni D, Venditti M, Magni G, Gallo P, Beni S, Fiorelli M, Fedele F, Pandian NG. Valvular perforation in left-sided infective endocarditis: a prospective echocardiographic evaluation and clinical outcome. 1997;134:656-64
 de Cock CC (see Woltjer et al). 1997;134:450-5
 de Groot CA (see Somsen et al). 1997;134:456-8
 De Jongste MJL (see Schoebel et al). 1997;134:587-602
 De Man F (see Vanderschueren et al). 1997;134:213-9
 DeMaria AN (see Ohmori et al). 1997;134:1066-74
 de Milliano PAR (see Somsen et al). 1997;134:456-8
 Demus DD (see Travin et al). 1997;134:73-82
 Dens J (see Vanderschueren et al). 1997;134:213-9
 Desmet W (see Vanderschueren et al). 1997;134:213-9
 de Vries PMJM (see Woltjer et al). 1997;134:450-5
 Dickstein K (see Larsen et al). 1997;134:435-41
 Diem B (see Achenbach et al). 1997;134:467-73
 DiMarco JP (see Curtis et al). 1997;134:787-98
 Do D, West A, Morise A, Atwood JE, Froelicher V. An agreement approach to predict severe angiographic coronary artery disease with clinical and exercise test data. 1997;134:672-9
 Doi T (see Kosuga et al). 1997;134:712-8

- Dolan N (see Patten et al). 1997;134:37-43
Dorian P (see Nanthakumar et al). 1997;134:752-7
Douglas JS Jr (see Waksman et al). 1997;134:274-81
Drew BJ, Adams MG, McEldowney DK, Lau KY, Wung S-F, Wolfe CL, Ports TA, Chou TM. Frequency, duration, magnitude, and consequences of myocardial ischemia during intracoronary ultrasonography. 1997;134:474-8
Du Z-D, Roguin N, Milgram E, Saab K, Koren A. Pulmonary hypertension in patients with thalassemia major. 1997;134:532-7
Dubois-Randé JL (see Pérez et al). 1997;134:745-51
Dubrey SW, Bilazarian S, LaValley M, Reisinger J, Skinner M, Falk RH. Signal-averaged electrocardiography in patients with AL (primary) amyloidosis. 1997;134:994-1001
Duca MD (see Travin et al). 1997;134:73-82
Duchak J (see Smart et al). 1997;134:822-34
Durand P (see Metz et al). 1997;134:131-7
Duval AM (see Pérez et al). 1997;134:745-51

E

- Eagle KA (see Cohen and Eagle). 1997;134:321-9
Early Post MI IV Dipyridamole Study (EPIDS) (see Heller et al). 1997;134:105-11
Edens TR (see Patten et al). 1997;134:37-43
Ehlert FA, Korenstein D, Steinberg JS. Evaluation of P wave signal-averaged electrocardiographic filtering and analysis methods. 1997;134:985-93
Elaerts J (see Metz et al). 1997;134:131-7
Ellestad MH (see Shandling et al). 1997;134:544-50
Elosua R (see Homs et al). 1997;134:181-7
Elsner D (see Muders et al). 1997;134:442-9
Epstein ML (see Tantengco et al). 1997;134:1082-8
Estes NAM III (see Curtis et al). 1997;134:787-98
Estrada AQ (see Hussain et al). 1997;134:719-27
Eto G (see Akagi et al). 1997;134:538-43
Evans A (see Walsh et al). 1997;134:872-8
Every NR, Parsons L, Hlatky MA, McDonald KM, Thom D, Hallstrom AP, Martin JS, Weaver WD. Use and accuracy of state death certificates for classification of sudden cardiac deaths in high risk populations. 1997;134:1129-32

F

- Faggiano P, D'Aloia A, Gualeni A, Lavatelli A, Giordano A. Assessment of oxygen uptake during the 6-minute walking test in patients with heart failure: preliminary experience with portable device. 1997;134:203-6
Faivre R (see Metz et al). 1997;134:131-7
Falk RH (see Dubrey et al). 1997;134:994-1001
Farah T (see Schulman et al). 1997;134:99-104
Farb A (see Buske et al). 1997;134:282-91
Fath-Ordoubadi F, Huehns TY, Al-Mohammad A, Beatt KJ. Significance of the Thrombolysis in Myocardial Infarction scoring system in assessing infarct-related artery reperfusion and mortality rates after acute myocardial infarction. 1997;134:62-8
Febo O (see Capomolla et al). 1997;134:1089-98
Fedele F (see De Castro et al). 1997;134:656-64
Feinglass J (see McDermott et al). 1997;134:728-36
— (see McDermott et al). 1997;134:901-9
Feltes TF (see Forbes et al). 1997;134:865-71
Fernandez-Ortiz A (see Alfonso et al). 1997;134:703-11
Fernberg MS (see Shapira et al). 1997;134:665-71
Ferrari S (see Lombardo et al). 1997;134:557-64
Ferrelós J (see Vilacosta et al). 1997;134:495-507

- Ferrick KJ (see Gallik et al). 1997;134:155-60
Fiorelli M (see De Castro et al). 1997;134:656-64
Fischer GA (see Tanasijevic et al). 1997;134:622-30
Fisher JD (see Gallik et al). 1997;134:155-60
Fishman RF (see Bergelson et al). 1997;134:362-81
Fleiss J (see Bloomfield et al). 1997;134:316-20
Fong A-N (see Lee et al). 1997;134:387-94
Forbes TJ, Rosenthal GL, Reul GR Jr, Ott DA, Feltes TF. Risk factors for life-threatening cavopulmonary thrombosis in patients undergoing bidirectional superior cavopulmonary shunt: an exploratory study. 1997;134:865-71
Foschi A (see Hussain et al). 1997;134:719-27
Frazier OH (see Schoebel et al). 1997;134:587-602
Freedom RM (see Beghetti et al). 1997;134:1107-14
Frid D (see Hayano et al). 1997;134:411-8
Frøbert O (see Botker et al). 1997;134:229-37
Froelicher V (see Do et al). 1997;134:672-9
Fujimura T (see Ichihara et al). 1997;134:260-5
Fujita H (see Suzuki et al). 1997;134:974-7
Fukai D (see Tsutamoto et al). 1997;134:910-6
Fukunishi I (see Hayano et al). 1997;134:1029-36

G

- Gallik DM, Kim SG, Ferrick KJ, Roth JA, Fisher JD. Efficacy and safety of sotalol in patients with refractory atrial fibrillation or flutter. 1997;134:155-60
Gallo P (see De Castro et al). 1997;134:656-64
Garber V (see Iparraguirre et al). 1997;134:631-8
Ghazzal Z (see Waksman et al). 1997;134:274-81
Gheorghiadu M, Pitt B. Digitalis Investigation Group (DIG) trial: a stimulus for further research. 1997;134:3-12
— (see Califf et al). 1997;134:44-54
— (see McDermott et al). 1997;134:728-36
— (see McDermott et al). 1997;134:901-9
Gibbons RJ (see Chareonthaitawee et al). 1997;134:639-46
Gibson CM, Marble SJ, Rizzo MJ, Moynihan J, McLean C, Ryan K, Sparano A, Piana RN, McCabe C, Cannon CP. Relation between injections before 90-minute angiography and coronary patency: results of the Thrombolysis in Myocardial Infarction 4 Trial. 1997;134:351-4
— (see Tanasijevic et al). 1997;134:622-30
Gimple LW (see Vernon et al). 1997;134:835-40
Giordano A (see Faggiano et al). 1997;134:203-6
Glazier JJ, Jiang AJ, Crilly RJ, Spears JR. Laser balloon angioplasty combined with local intracoronary heparin therapy: immediate and short-term follow-up results. 1997;134:266-73
Goicolea J (see Alfonso et al). 1997;134:703-11
Goldberger JJ, Kruse J, Parker MA, Kadish AH. Effect of informed consent on anxiety in patients undergoing diagnostic electrophysiology studies. 1997;134:119-26
Goldhaber SZ (see Mikkola et al). 1997;134:69-72
— (see Mikkola et al). 1997;134:603-7
Goldsmith SR. Effect of amlodipine on norepinephrine kinetics and baroreflex function in patients with congestive heart failure. 1997;134:13-9
Goldstein S (see Jafri et al). 1997;134:27-36
Golmard J-L (see Laperche et al). 1997;134:1044-51
Göransson L (see Larsen et al). 1997;134:435-41
Görög P (see Kovacs et al). 1997;134:572-6
Gotsman MS (see Rozenman et al). 1997;134:355-61
Goulene K (see Stramba-Badiale et al). 1997;134:406-10
Gow RM (see Beghetti et al). 1997;134:1107-14
Grancelli H (see Iparraguirre et al). 1997;134:631-8
Greene M (see Nanthakumar et al). 1997;134:752-7
Griesse DP (see Muders et al). 1997;134:442-9
Grines CL (see Chareonthaitawee et al). 1997;134:639-46

- Grodstein F (see Mikkola et al). 1997;134:69-72
 — (see Mikkola et al). 1997;134:603-7
 Grudzien C (see Tanasijevic et al). 1997;134:622-30
 Gualeni A (see Faggiano et al). 1997;134:203-6
 Guéret P (see Pérez et al). 1997;134:745-51
 Guernonprez J-L (see Henry et al). 1997;134:1037-43
 Guimarães GV (see Bocchi et al). 1997;134:737-44
 Guindo J (see Homs et al). 1997;134:181-7
 Guize L (see Henry et al). 1997;134:1037-43
 Gussenhoven EJ (see van der Lugt et al). 1997;134:1075-81

H

- Haber SB (see Heller et al). 1997;134:105-11
 Hagerup L (see Hansen et al). 1997;134:548-52
 Hajric R (see Meyer et al). 1997;134:20-6
 Hallstrom AP (see Every et al). 1997;134:1129-32
 Hamdan MH (see Joglar et al). 1997;134:161-4
 Handberg-Thurmond E (see Califf et al). 1997;134:44-54
 Haney I (see Beghetti et al). 1997;134:1107-14
 Hannan EL, Stone CC, Biddle TL, DeBuono BA. Public release of cardiac surgery outcomes data in New York: What do New York state cardiologists think of it? 1997;134:1120-8
 Hansen JF, Hagerup L, Sigurd B, Pedersen F, Mellemegaard K, Bjergaard OP, DAVIT Study Group. Treatment with verapamil and trandolapril in patients with congestive heart failure and angina pectoris or myocardial infarction. 1997;134:548-52
 Harrell FE Jr (see Califf et al). 1997;134:44-54
 Hart GB (see Shandling et al). 1997;134:544-50
 Hartikainen JEK (see Kautzner et al). 1997;134:1002-4
 Hartmann A (see Weis et al). 1997;134:306-15
 Harvey SA (see Lauer et al). 1997;134:807-13
 Hashino K (see Akagi et al). 1997;134:538-43
 Hasin Y (see Rozenman et al). 1997;134:355-61
 Haverich A (see Heublein et al). 1997;134:930-8
 Hayakawa H (see Tomita et al). 1997;134:779-86
 Hayano J, Jiang W, Waugh R, O'Connor C, Frid D, Blumenthal JA. Stability over time of circadian rhythm of variability of heart rate in patients with stable coronary artery disease. 1997;134:411-8
 —, Kimura K, Hosaka T, Shibata N, Fukunishi I, Yamasaki K, Mono H, Maeda S, Committee Members of the Type A Behavior Pattern Conference. Coronary disease-prone behavior among Japanese men: job-centered lifestyle and social dominance. 1997;134:1029-36
 Hayashi Y, Ikeda U, Kojo T, Nishinaga M, Miyashita H, Kuroda T, Inoue K, Nishizawa M, Shimada K. Cardiac abnormalities and cytosine-thymine-guanine trinucleotide repeats in myotonic dystrophy. 1997;134:292-7
 Heintzen MP (see Schoebel et al). 1997;134:587-602
 Heller GV, Brown KA, Landin RJ, Haber SB, Early Post MI IV Dipyridamole Study (EPIDS). Safety of early intravenous dipyridamole technetium 99m sestamibi SPECT myocardial perfusion imaging after uncomplicated first myocardial infarction. 1997;134:105-11
 — (see Travin et al). 1997;134:73-82
 Hellman R (see Smart et al). 1997;134:822-34
 Hennessy TG, Codd MB, Kane G, McCarthy C, McCann HA, Sugrue DD. Dobutamine stress echocardiography in the detection of coronary artery disease: importance of the pretest likelihood of disease. 1997;134:685-92
 Henry P, Makowski S, Richard P, Beverelli F, Casanova S, Louali A, Boughalem K, Battaglia S, Guize L, Guernonprez J-L. Increased incidence of moderate stenosis among patients with diabetes: Substrate for myocardial infarction? 1997;134:1037-43
 Hense H-W (see Mudders et al). 1997;134:442-9
 Herman SD (see Travin et al). 1997;134:73-82
 Hermans L (see Vanderschueren et al). 1997;134:213-9
 Hermiller JB (see Timmis et al). 1997;134:1099-106
 Hernandez R (see Alfonso et al). 1997;134:703-11
 Heublein B, Pethig K, Maas C, Wahlers T, Haverich A. Coronary artery stenting in cardiac allograft vascular disease. 1997;134:930-8
 Heuser R (see Krumholz et al). 1997;134:337-44
 Higano ST (see Chareonthaitawee et al). 1997;134:639-46
 Hikita H (see Takase et al). 1997;134:945-54
 Himbert D (see Steg et al). 1997;134:248-52
 Hiramitsu S (see Yoshida et al). 1997;134:382-6
 Hirayama H (see Ichihara et al). 1997;134:260-5
 — (see Yoshida et al). 1997;134:382-6
 Hirsch R (see Shapira et al). 1997;134:665-71
 Hirschfeld J (see Krumholz et al). 1997;134:337-44
 Hisanaga T (see Tsutomoto et al). 1997;134:910-6
 Hlatky MA (see Every et al). 1997;134:1129-32
 Hoff JA (see McLaughlin et al). 1997;134:1115-9
 Hollenberg SM (see Kelly et al). 1997;134:399-405
 Homs E, Martí V, Guindo J, Laguna P, Viñolas X, Caminal P, Elosua R, Bayés de Luna A. Automatic measurement of corrected QT interval in Holter recordings: comparison of its dynamic behavior in patients after myocardial infarction with and without life-threatening arrhythmias. 1997;134:181-7
 Hosaka T (see Hayano et al). 1997;134:1029-36
 Hsu Y-S (see Kosuga et al). 1997;134:712-8
 Huang F-Y (see Shyu et al). 1997;134:551-6
 Huang J-L (see Lee et al). 1997;134:387-94
 Huang S-H (see Jeng et al). 1997;134:565-71
 Huehns TY (see Fath-Ordoubadi et al). 1997;134:62-8
 Humes RA (see Tantengco et al). 1997;134:1082-8
 Hung C-R (see Shyu et al). 1997;134:551-6
 Hung M-J (see Wang et al). 1997;134:1058-65
 Hunter D (see Adachi et al). 1997;134:196-202
 Hussain KMA, Estrada AQ, Kogan A, Dadkhah S, Foschi A. Trends in success rate after percutaneous transluminal coronary angioplasty in men and women with coronary artery disease. 1997;134:719-27
 Ianniciello A (see Bonaduce et al). 1997;134:165-72
 Ichihara S, Yokota M, Fujimura T, Kato S, Hirayama H, Tsunekawa A, Inagaki H, Takatsu F, Nakashima N, Yamada Y. Lack of association between variants of the angiotensinogen gene and the risk of coronary artery disease in middle-aged Japanese men. 1997;134:260-5
 Ikeda U (see Hayashi et al). 1997;134:292-7
 Inagaki H (see Ichihara et al). 1997;134:260-5
 Inobe Y, Kugiyama K, Miyagi H, Ohgushi M, Tomiguchi S, Takahashi M, Yasue H. Long-lasting abnormalities in cardiac sympathetic nervous system in patients with coronary spastic angina: quantitative analysis with iodine 123 metaiodobenzylguanidine myocardial scintigraphy. 1997;134:112-8
 Inoue K (see Hayashi et al). 1997;134:292-7
 Ipparraguirre HP, Conti C, Grancelli H, Ohman EM, Calandrelli M, Volman S, Garber V. Prognostic value of clinical markers of reperfusion in patients with acute myocardial infarction treated by thrombolytic therapy. 1997;134:631-8
 Ishihara M, Sato H, Tateishi H, Kawagoe T, Shimatani Y, Kurisu S, Sakai K, Ueda K. Clinical implications of cigarette smoking in acute myocardial infarction: acute angiographic findings and long-term prognosis. 1997;134:955-60
 — (see Kurisu et al). 1997;134:345-50
 Ishii M (see Akagi et al). 1997;134:538-43
 — (see Xu et al). 1997;134:93-8
 Isitman A (see Smart et al). 1997;134:822-34
 Itoh T (see Yoshida et al). 1997;134:382-6

J

- Jacobs AK (see Mendes et al). 1997;134:207-12
 Jafri SM, Mammen EF, Masura J, Goldstein S. Effects of warfarin on markers of hypercoagulability in patients with heart failure. 1997;134:27-36
 Jahangiri M (see Kovacs et al). 1997;134:572-6
 Jax TW (see Schoebel et al). 1997;134:587-602
 Jeng C-Y (see Jeng et al). 1997;134:565-71
 Jeng J-R, Jeng C-Y, Sheu WH-H, Lee MM-S, Huang S-H, Shieh S-M. Gemfibrozil treatment of hypertriglyceridemia: improvement on fibrinolysis without change of insulin resistance. 1997;134:565-71
 Jessurun GAJ (see Schoebel et al). 1997;134:587-602
 Jiang AJ (see Glazier et al). 1997;134:266-73
 Jiang W (see Hayano et al). 1997;134:411-8
 Joglar JA, Welch PJ, Wilkinson WE, Hamdan MH, Page RL. Initial experience with a high-impedance tined endocardial pacemaker lead: evidence for increased lead failure. 1997;134:161-4
 Johnson H (see Ribeiro et al). 1997;134:479-87
 Jones AF (see Lip et al). 1997;134:764-71
 Jorfeldt L (see Ribeiro et al). 1997;134:479-87
 Joshi VM (see Tantengco et al). 1997;134:1082-8
 Joye JD (see Schulman et al). 1997;134:99-104
 Juhlin-Dannfelt A (see Ribeiro et al). 1997;134:479-87
 Juliard J-M (see Steg et al). 1997;134:248-52
 Jung T (see Adachi et al). 1997;134:196-202

K

- Kaan AF (see Sindone et al). 1997;134:889-900
 Kadipasaoglu KA (see Schoebel et al). 1997;134:587-602
 Kadish AH (see Goldberger et al). 1997;134:119-26
 Kadr H (see Bursztyn et al). 1997;134:238-47
 Kaikita K (see Oshima et al). 1997;134:961-6
 — (see Suefuji et al). 1997;134:253-9
 Kakihana M (see Watanabe et al). 1997;134:614-21
 Kakuk G (see Lörincz et al). 1997;134:1138-40 (Letter)
 Kamikubo Y (see Suefuji et al). 1997;134:253-9
 Kane G (see Hennessy et al). 1997;134:685-92
 Kanki H (see Nishikawa et al). 1997;134:967-73
 Kannel WB, D'Agostino RB, Silberschatz H. Blood pressure and cardiovascular morbidity and mortality rates in the elderly. 1997;134:758-63
 Kanoupakis EM (see Kochiadakis et al). 1997;134:459-66
 Karrillon G (see Steg et al). 1997;134:248-52
 Kashani IA (see Park et al). 1997;134:917-23
 Kato H (see Akagi et al). 1997;134:538-43
 Kato S (see Ichihara et al). 1997;134:260-5
 Kaufman ES (see Bloomfield et al). 1997;134:316-20
 Kaul S (see Vernon et al). 1997;134:835-40
 Kautzner J, Hartikainen JEK, Camm AJ, Malik M. Effects of upright posture on filtered QRS parameter of the signal-averaged electrocardiogram in healthy volunteers. 1997;134:1002-4
 Kawagoe T (see Ishihara et al). 1997;134:955-60
 — (see Kurisu et al). 1997;134:345-50
 Kelly RF, Parillo JE, Hollenberg SM. Effect of coronary angioplasty on QT dispersion. 1997;134:399-405
 Keogh AM (see Sindone et al). 1997;134:889-900
 Kerdinchai P (see Vanderschueren et al). 1997;134:213-9
 Kilcoyne L (see Patten et al). 1997;134:37-43
 Kim HC (see Philipp et al). 1997;134:978-84
 Kim SG (see Gallik et al). 1997;134:155-60
 Kimura K (see Hayano et al). 1997;134:1029-36
 Kinan D (see Patten et al). 1997;134:37-43
 King ME (see Padial et al). 1997;134:814-21

- King SB III (see Waksman et al). 1997;134:274-81
 Kinoshita M (see Tsutomoto et al). 1997;134:910-6
 Kintake T (see Suzuki et al). 1997;134:974-7
 Kishida H (see Tomita et al). 1997;134:779-86
 Kitapci M (see Smart et al). 1997;134:822-34
 Kliffeld P (see Lee et al). 1997;134:1005-13
 Kline GM (see Travin et al). 1997;134:73-82
 Kober L (see Torp-Pedersen et al). 1997;134:525-30
 Kobrin I (see Bursztyn et al). 1997;134:238-47
 — (see Davies et al). 1997;134:220-8
 Kochiadakis GE, Rombola AT, Kanoupakis EM, Simantirakis EN, Chlouverakis GI, Vardas PE. Assessment of autonomic function at rest and during tilt testing in patients with vasovagal syncope. 1997;134:459-66
 Kogan A (see Hussain et al). 1997;134:719-27
 Koide M (see Suzuki et al). 1997;134:974-7
 Kojo T (see Hayashi et al). 1997;134:292-7
 Kok WEM (see Pasterkamp et al). 1997;134:680-4
 Konstam MA (see Patten et al). 1997;134:37-43
 Koren A (see Du et al). 1997;134:532-7
 Korenstein D (see Ehler et al). 1997;134:985-93
 Kostis JB (see Philipp et al). 1997;134:978-84
 Kosuga K, Tamai H, Ueda K, Hsu Y-S, Onon S, Tanaka S, Doi T, Myou-U W, Motohara S, Uehata H. Effectiveness of tranilast on restenosis after directional coronary atherectomy. 1997;134:712-8
 Kovacs IB, Jahangiri M, Rees GM, Görög P. Elevated plasma lipid hydroperoxides in patients with coronary artery disease. 1997;134:572-6
 Krasnow A (see Smart et al). 1997;134:822-34
 Krauss D (see Anderson et al). 1997;134:693-702
 Kromer EP (see Maders et al). 1997;134:442-9
 Kronenberg MW (see Patten et al). 1997;134:37-43
 Krumholz HM, Cohen DJ, Williams C, Baim DS, Brinker J, Cabin HS, Heuser R, Hirschfeld J, Leon MB, Moses J, Savage MP, Cleman M. Health after coronary stenting or balloon angioplasty: results from the Stent Restenosis Study. 1997;134:337-44
 Kruse J (see Goldberger et al). 1997;134:119-26
 Kugiyama K (see Inobe et al). 1997;134:112-8
 Kumeda K (see Suefuji et al). 1997;134:253-9
 Kun C (see Lörincz et al). 1997;134:1138-40 (Letter)
 Kurisu S, Sato H, Tateishi H, Kawagoe T, Ishihara M, Shimatani Y, Sakai K, Ueda K, Matsuura H. Directional coronary atherectomy for the treatment of acute myocardial infarction. 1997;134:345-50
 — (see Ishihara et al). 1997;134:955-60
 Kurita A (see Takase et al). 1997;134:945-54
 Kuroda T (see Hayashi et al). 1997;134:292-7
 — (see Suzuki et al). 1997;134:974-7
 Kusama Y (see Tomita et al). 1997;134:779-86
 Kwan OL (see Ohmori et al). 1997;134:1066-74
 Kyo S (see Xu et al). 1997;134:93-8

L

- Laguna P (see Homs et al). 1997;134:181-7
 Lai W-T (see Lee et al). 1997;134:799-806
 Landin RJ (see Heller et al). 1997;134:105-11
 Lang R (see Anderson et al). 1997;134:693-702
 Langberg JJ (see Vorperian et al). 1997;134:173-80
 Laperche T, Golmard J-L, Steg PG. Early behavior of biochemical markers in patients with Thrombolysis in Myocardial Infarction grade 2 flow in the infarct artery as opposed to other flow grades after intravenous thrombolysis for acute myocardial infarction. 1997;134:1044-51
 La Rovere MT (see Mortara et al). 1997;134:879-88
 Larsen AI, Gøransson L, Aarsland T, Tamby JF, Dickstein K.

- Comparison of the degree of hemodynamic tolerance during intravenous infusion of nitroglycerin versus nicorandil in patients with congestive heart failure. 1997;134:435-41
- Lasorda D (see Schulman et al). 1997;134:99-104
- Latini R (see Maggioni et al). 1997;134:89-14
- Lau FYK (see Zhang et al). 1997;134:772-8
- Lau KY (see Drew et al). 1997;134:474-8
- Lauer MS, Pashkow FJ, Snader CE, Harvey SA, Thomas JD, Marwick TH. Sex and diagnostic evaluation of possible coronary artery disease after exercise treadmill testing at one academic teaching center. 1997;134:807-13
- LaValley M (see Dubrey et al). 1997;134:994-1001
- Lavatelli A (see Faggiano et al). 1997;134:203-6
- Lavie CJ (see Malik et al). 1997;134:514-26
- Lee C-S, Lai W-T, Wu J-C, Sheu S-H, Wu S-N, Belardinelli L. Differential effects of adenosine on antegrade and retrograde fast pathway conduction in atrioventricular nodal reentry. 1997;134:799-806
- Lee KW, Okin PM, Kligfield P, Stein KM, Lerman BB. Precordial QT dispersion and inducible ventricular tachycardia. 1997;134:1005-13
- Lee MM-S (see Jeng et al). 1997;134:565-71
- Lee PI (see McDermott et al). 1997;134:728-36
- (see McDermott et al). 1997;134:901-9
- Lee S-H, Chen S-A, Tai C-T, Chiang C-E, Wen Z-C, Chen Y-J, Yu W-C, Fong A-N, Huang J-L, Cheng J-J, Chang M-S. Atrioventricular node reentrant tachycardia in patients with a long fast pathway effective refractory period: clinical features, electrophysiologic characteristics, and results of radiofrequency ablation. 1997;134:387-94
- Lefevre F (see McDermott et al). 1997;134:728-36
- (see McDermott et al). 1997;134:901-9
- Lefevre T (see Metz et al). 1997;134:131-7
- Lehmann G (see Alt et al). 1997;134:419-25
- Lehtinen R (see Viik et al). 1997;134:488-94
- Leon MB (see Krumholz et al). 1997;134:337-44
- Lerman BB (see Lee et al). 1997;134:1005-13
- Leschke M (see Schoebel et al). 1997;134:587-602
- Leung DY, Dawson IG, Thomas JD, Marwick TH. Accuracy and cost-effectiveness of exercise echocardiography for detection of coronary artery disease in patients with mitral valve prolapse. 1997;134:1052-7
- Levine RA (see Padial et al). 1997;134:814-21
- Lie KI (see Somsen et al). 1997;134:456-8
- Lin C-C (see Shyu et al). 1997;134:551-6
- Lindmarker P (see Ribeiro et al). 1997;134:479-87
- Lindsay S (see Nolan et al). 1997;134:939-44
- Lip GYH, Blann AD, Jones AF, Beevers DG. Effects of hormone-replacement therapy on hemostatic factors, lipid factors, and endothelial function in women undergoing surgical menopause: implications for prevention of atherosclerosis. 1997;134:764-71
- Lombardo M, Alli C, Broccolino M, Ferrari S, Montemurro L, Zaini G, Zanni D. Long-term effects of angiotensin-converting enzyme inhibitors and calcium antagonists on the right and left ventricles in essential hypertension. 1997;134:557-64
- Löhrincz I, Zilabi Z, Kun C, Mátyus J, Kakuk G. ECG abnormalities in hemodialysis. 1997;134:1138-40 (Letter)
- Losi MA (see Bonaduce et al). 1997;134:165-72
- Lotan C (see Rozenman et al). 1997;134:355-61
- Louali A (see Henry et al). 1997;134:1037-43
- Lucas VW (see Park et al). 1997;134:917-23
- Lundstrom RJ (see Barron et al). 1997;134:608-13
- Lüscher TF (see Ruschitzka and Lüscher). 1997;134:531-47
- Mabuchi N (see Tsutomoto et al). 1997;134:910-6
- Macaya C (see Alfonso et al). 1997;134:703-11
- Macdonald PS (see Sindone et al). 1997;134:889-900
- Maeda K (see Tsutomoto et al). 1997;134:910-6
- Maeda S (see Hayano et al). 1997;134:1029-36
- Maeda Y (see Tsutomoto et al). 1997;134:910-6
- Maestri R (see Capomolla et al). 1997;134:1089-98
- (see Mortara et al). 1997;134:879-88
- Maggioni AP, Sessa F, Latini R, Tognoni G. Treatment of acute myocardial infarction today. 1997;134:59-14
- Magni G (see De Castro et al). 1997;134:656-64
- Makowski S (see Henry et al). 1997;134:1037-43
- Malik FS, Lavie CJ, Mehra MR, Milani RV, Re RN. Renin-angiotensin system: genes to bedside. 1997;134:514-26
- Malik M (see Kautzner et al). 1997;134:1002-4
- Malmivuo J (see Viik et al). 1997;134:488-94
- Mammen EF (see Jafri et al). 1997;134:27-36
- Marble SJ (see Gibson et al). 1997;134:351-4
- Marciano F (see Bonaduce et al). 1997;134:165-72
- Mark DB (see Califf and Mark). 1997;134:1-2 (Editorial)
- (see Califf and Mark). 1997;134:587-95
- Marlow D (see Shandling et al). 1997;134:544-50
- Martí V, Ballester M, Rigla M, Narula J, Bernà L, Pons-Lladó G, Carrió I, Carreras F, Webb SM. Myocardial damage does not occur in untreated hyperthyroidism unless associated with congestive heart failure. 1997;134:1133-7
- (see Homs et al). 1997;134:181-7
- Martin JS (see Every et al). 1997;134:1129-32
- Martina B (see Bursztyn et al). 1997;134:238-47
- Marwick TH (see Lauer et al). 1997;134:807-13
- (see Leung et al). 1997;134:1052-7
- (see Rubin et al). 1997;134:83-92
- Massin MM, Nitsch GB, Däbritz S, Messmer BJ, von Bernuth G. Angiographic study of aorta, coronary arteries, and left ventricular performance after neonatal arterial switch operation for simple transposition of the great arteries. 1997;134:298-305
- Masura J (see Jafri et al). 1997;134:27-36
- Matsuo T (see Suzuki et al). 1997;134:974-7
- Matsuura H (see Kurisu et al). 1997;134:345-50
- Mátyus J (see Löhrincz et al). 1997;134:1138-40 (Letter)
- Mawson J (see Beghetti et al). 1997;134:1107-14
- Mayer NJ, Rubin SA. Molecular and cellular prospects for repair, augmentation, and replacement of the failing heart. 1997;134:577-86
- Maynard C (see Pahlm et al). 1997;134:1014-8
- Mazzilli N (see Weis et al). 1997;134:306-15
- McCabe C (see Gibson et al). 1997;134:351-4
- McCann HA (see Hennessy et al). 1997;134:685-92
- McCarthy C (see Hennessy et al). 1997;134:685-92
- McCosker CJ (see Sindone et al). 1997;134:889-900
- McDermott MM, Feinglass J, Lee PI, Mehta S, Schmitt B, Lefevre F, Gheorghiadu M. Systolic function, readmission rates, and survival among consecutively hospitalized patients with congestive heart failure. 1997;134:728-36
- , —, —, —, —, —, Puppala J, Gheorghiadu M. Heart failure between 1986 and 1994: temporal trends in drug-prescribing practices, hospital readmissions, and survival at an academic medical center. 1997;134:901-9
- McDonald KM (see Every et al). 1997;134:1129-32
- McEldowney DK (see Drew et al). 1997;134:474-8
- McKenna WJ (see Califf et al). 1997;134:44-54
- McLaughlin VV, Hoff JA, Rich S. Relation between hormone replacement therapy in women and coronary artery disease estimated by electron beam tomography. 1997;134:1115-9
- McLean C (see Gibson et al). 1997;134:351-4
- McLenachan J (see Nolan et al). 1997;134:939-44
- McNulty SE (see Califf et al). 1997;134:44-54

M

Maaß C (see Heublein et al). 1997;134:930-8

- Mehra MR (see Malik et al). 1997;134:514-26
 Mehta S (see McDermott et al). 1997;134:728-36
 — (see McDermott et al). 1997;134:901-9
 Mellemgaard K (see Hansen et al). 1997;134:548-52
 Mendes LA, Davidoff R, Cupples LA, Ryan TJ, Jacobs AK.
 Congestive heart failure in patients with coronary artery disease: the gender paradox. 1997;134:207-12
 Méndez R (see Vilacosta et al). 1997;134:495-507
 Mereuta A (see Rozenman et al). 1997;134:355-61
 Mermillod B (see Zimmermann et al). 1997;134:1019-28
 Messenger JC (see Shandling et al). 1997;134:544-50
 Messerli FH, Michalewicz L. Safety of heart rate-lowering calcium antagonists: lessons from controlled trials. 1997;134:S21-4
 Messmer BJ (see Massin et al). 1997;134:298-305
 Metherall J (see Patten et al). 1997;134:37-43
 Metz D, Meyer P, Tonati C, Coste P, Petiteau PY, Durand P, Faivre R, Lefevre T, Elaerts J. Comparison of 6F with 7F and 8F guiding catheters for elective coronary angioplasty: results of a prospective, multicenter, randomized trial. 1997;134:131-7
 Metzger J (see Zimmermann et al). 1997;134:1019-28
 Meyer K, Westbrook S, Schwaibold M, Hajric R, Peters K, Roskamm H. Short-term reproducibility of cardiopulmonary measurements during exercise testing in patients with severe chronic heart failure. 1997;134:20-6
 Meyer P (see Metz et al). 1997;134:131-7
 Meyers SN (see Timmis et al). 1997;134:1099-106
 Michalewicz L (see Messerli and Michalewicz). 1997;134:S21-4
 Mikkola KM, Patel SR, Parker JA, Grodstein F, Goldhaber SZ. Attenuation over 24 hours of the efficacy of thrombolysis of pulmonary embolism among patients with cancer. 1997;134:603-7
 —, —, —, —, —. Increasing age is a major risk factor for hemorrhagic complications after pulmonary embolism thrombolysis. 1997;134:69-72
 Milani RV (see Malik et al). 1997;134:514-26
 Milgram E (see Du et al). 1997;134:532-7
 Miller JM (see Alexander et al). 1997;134:138-54
 Miyagi H (see Inobe et al). 1997;134:112-8
 Miyashita H (see Hayashi et al). 1997;134:292-7
 Mizuno Y (see Oshima et al). 1997;134:961-6
 — (see Suefuji et al). 1997;134:253-9
 Mizushige K (see Ohmori et al). 1997;134:1066-74
 Möller N (see Botker et al). 1997;134:229-37
 Mono H (see Hayano et al). 1997;134:1029-36
 Montemurro L (see Lombardo et al). 1997;134:557-64
 Morady F (see Vorperian et al). 1997;134:173-80
 Morimoto S-I (see Yoshida et al). 1997;134:382-6
 Morise AP. Accuracy of heart rate-adjusted ST segments in populations with and without posttest referral bias. 1997;134:647-55
 — (see Do et al). 1997;134:672-9
 Mortara A, La Rovere MT, Pinna GD, Parziale P, Maestri R, Capomolla S, Opasich C, Cobelli F, Tavazzi L. Depressed arterial baroreflex sensitivity and not reduced heart rate variability identifies patients with chronic heart failure and nonsustained ventricular tachycardia: the effect of high ventricular filling pressure. 1997;134:879-88
 Moses J (see Krumholz et al). 1997;134:337-44
 Moshage W (see Achenbach et al). 1997;134:467-73
 Mosseri M (see Rozenman et al). 1997;134:355-61
 Motohara S (see Kosuga et al). 1997;134:712-8
 Motoyama T (see Suefuji et al). 1997;134:253-9
 Moynihan J (see Gibson et al). 1997;134:351-4
 Muders F, Kromer EP, Grieser DP, Pfeifer M, Hense H-W, Riegger GAJ, Elsner D. Evaluation of plasma natriuretic peptides as markers for left ventricular dysfunction. 1997;134:442-9

- Mullany CJ (see Roger et al). 1997;134:924-9
 Munakata K (see Tomita et al). 1997;134:779-86
 Myou-U W (see Kosuga et al). 1997;134:712-8

N

- Nakamura H (see Takase et al). 1997;134:945-54
 Nakamura S (see Suefuji et al). 1997;134:253-9
 Nakashima N (see Ichihara et al). 1997;134:260-5
 Nanthakumar K, Newman D, Paquette M, Greene M, Rakovich G, Dorian P. Circadian variation of sustained ventricular tachycardia in patients subject to standard adrenergic blockade. 1997;134:752-7
 Narula J (see Marti et al). 1997;134:1133-7
 Nassar H (see Rozenman et al). 1997;134:355-61
 Newman D (see Nanthakumar et al). 1997;134:752-7
 Nguyen PH (see Adachi et al). 1997;134:196-202
 Niemelä K (see Viik et al). 1997;134:488-94
 Nili M (see Shapira et al). 1997;134:665-71
 Nishikawa Y, Kanki H, Ogawa S. Role of nitric oxide in coronary vasomotion during handgrip exercise. 1997;134:967-73
 Nishinaga M (see Hayashi et al). 1997;134:292-7
 Nishizawa M (see Hayashi et al). 1997;134:292-7
 Nitsch GB (see Massin et al). 1997;134:298-305
 Noda K (see Oshima et al). 1997;134:961-6
 Nolan J, Batin P, Welsh C, Lindsay S, McLenachan J, Cowan C, Perrins J. Feasibility and applicability of coronary stent implantation with the direct brachial approach: results of a single-center study. 1997;134:939-44

O

- O'Brien JE (see Pahlm et al). 1997;134:1014-8
 O'Connor C (see Hayano et al). 1997;134:411-8
 O'Connor MK (see Chareonthaitawee et al). 1997;134:639-46
 Ogawa H (see Oshima et al). 1997;134:961-6
 — (see Suefuji et al). 1997;134:253-9
 Ogawa S (see Nishikawa et al). 1997;134:967-73
 Oh JK (see Roger et al). 1997;134:924-9
 Ohgushi M (see Inobe et al). 1997;134:112-8
 Ohman EM (see Iparraguirre et al). 1997;134:631-8
 Ohmori K, Cotter B, Kwan OL, Mizushige K, DeMaria AN.
 Relation of contrast echo intensity and flow velocity to the amplification of contrast opacification produced by intermittent ultrasound transmission. 1997;134:1066-74
 Ohnishi M (see Tsutamoto et al). 1997;134:910-6
 Ohtsuka S (see Watanabe et al). 1997;134:614-21
 Oigman W (see Bursztyn et al). 1997;134:238-47
 O'Keefe JH (see Chareonthaitawee et al). 1997;134:639-46
 Okin PM (see Lee et al). 1997;134:1005-13
 Olbrich H-G (see Weis et al). 1997;134:306-15
 Oliver A (see Padial et al). 1997;134:814-21
 Omoto R (see Xu et al). 1997;134:93-8
 Onon S (see Kosuga et al). 1997;134:712-8
 Opasich C (see Capomolla et al). 1997;134:1089-98
 — (see Mortara et al). 1997;134:879-88
 Oshima S, Ogawa H, Mizuno Y, Yamashita S, Noda K, Saito T, Sumida H, Suefuji H, Kaikita K, Soejima H, Yasue H. The effects of the angiotensin-converting enzyme inhibitor imidapril on plasma plasminogen activator inhibitor activity in patients with acute myocardial infarction. 1997;134:961-6
 — (see Suefuji et al). 1997;134:253-9
 Ott DA (see Forbes et al). 1997;134:865-71

P

- Padial LR, Oliver A, Sagie A, Weyman AE, King ME, Levine RA. Two-dimensional echocardiographic assessment of the progression of aortic root size in 127 patients with chronic aortic regurgitation: role of the supraaortic ridge and relation to the progression of the lesion. 1997;134:814-21
- Page RL (see Joglar et al). 1997;134:161-4
- Pahlm O (see Pahlm et al). 1997;134:101-4-8
- Pahlm US, O'Brien JE, Pettersson J, Pahlm O, White T, Maynard C, Wagner GS. Comparison of teaching the basic electrocardiographic concept of frontal plane QRS axis using the classical versus the orderly electrocardiogram limb lead displays. 1997;134:1014-8
- Pandian NG (see De Castro et al). 1997;134:656-64
- Paquette M (see Nanthakumar et al). 1997;134:752-7
- Parides MK (see Curtis et al). 1997;134:787-98
- Parillo JE (see Kelly et al). 1997;134:399-405
- Park Y, Lucas VW, Sklansky MS, Kashani IA, Rothman A. Balloon angioplasty of native aortic coarctation in infants 3 months of age and younger. 1997;134:917-23
- Parker JA (see Mikkola et al). 1997;134:69-72
- (see Mikkola et al). 1997;134:603-7
- Parker MA (see Goldberger et al). 1997;134:119-26
- (see Timmis et al). 1997;134:1099-106
- Parsons L (see Every et al). 1997;134:1129-32
- Parziale P (see Mortara et al). 1997;134:879-88
- Pashkow FJ (see Lauer et al). 1997;134:807-13
- Pasquantonio J (see Alt et al). 1997;134:419-25
- Pasterkamp G, Peters RJG, Kok WEM, Van Leeuwen TG, Borst C. Arterial remodeling after balloon angioplasty of the coronary artery: an intravascular ultrasound study. 1997;134:680-4
- Patel SR (see Mikkola et al). 1997;134:69-72
- (see Mikkola et al). 1997;134:603-7
- Patten RD, Kronenberg MW, Benedict CR, Udelson JE, Kinan D, Stewart D, Yusuf S, Smith JJ, Kilcoyne L, Dolan N, Edens TR, Metherall J, Konstam MA. Acute and long-term effects of the angiotensin-converting enzyme inhibitor, enalapril, on adrenergic activity and sensitivity during exercise in patients with left ventricular systolic dysfunction. 1997;134:37-43
- Pedersen F (see Hansen et al). 1997;134:548-52
- Pepine CI. Changing myocardial infarction population characteristics: reasons and implications. 1997;134:S1-4
- Peral V (see Vilacosta et al). 1997;134:495-507
- Pérez Y, Duval AM, Carville C, Weber H, Cachin JC, Castaigne A, Dubois-Randé JL, Guéret P. Is left atrial appendage flow a predictor for outcome of cardioversion of nonvalvular atrial fibrillation? A transthoracic and transesophageal echocardiographic study. 1997;134:745-51
- Perrins J (see Nolan et al). 1997;134:939-44
- Peters K (see Meyer et al). 1997;134:20-6
- Peters RJG (see Pasterkamp et al). 1997;134:680-4
- Peterson ED (see Alexander and Peterson). 1997;134:856-64
- Peter-Wolf W (see Weis et al). 1997;134:306-15
- Pethig K (see Heublein et al). 1997;134:930-8
- Petiteau PY (see Metz et al). 1997;134:131-7
- Petretta M (see Bonaduce et al). 1997;134:165-72
- Pettersson J (see Pahlm et al). 1997;134:1014-18
- Pfeifer M (see Muders et al). 1997;134:442-9
- Philbin EF, Rocco TA Jr. Use of angiotensin-converting enzyme inhibitors in heart failure with preserved left ventricular systolic function. 1997;134:188-95
- Philipp CS, Cisar LA, Kim HC, Wilson AC, Saidi P, Kostis JB. Association of hemostatic factors with peripheral vascular disease. 1997;134:978-84
- Phillips P (see Alfonso et al). 1997;134:703-11
- Piana RN (see Gibson et al). 1997;134:351-4
- Pieterman H (see van der Lugt et al). 1997;134:1075-81

- Pileggi F (see Bocchi et al). 1997;134:737-44
- Pinna GD (see Mortara et al). 1997;134:879-88
- Pitt B (see Gheorghade and Pitt). 1997;134:3-12
- Pons-Lladó G (see Martí et al). 1997;134:1133-7
- Ports TA (see Drew et al). 1997;134:474-8
- Powers ER (see Vernon et al). 1997;134:835-40
- Pozzoli M (see Capomolla et al). 1997;134:1089-98
- Puppala J (see McDermott et al). 1997;134:901-9
- Pütter K (see Alt et al). 1997;134:419-25

R

- Ragosta M (see Vernon et al). 1997;134:835-40
- Rakovich G (see Nanthakumar et al). 1997;134:752-7
- Re RN (see Malik et al). 1997;134:514-26
- Rees GM (see Kovacs et al). 1997;134:572-6
- Reichek N (see Schulman et al). 1997;134:99-104
- Reisin LH (see Davies et al). 1997;134:220-8
- Reisinger J (see Dubrey et al). 1997;134:994-1001
- Reul GR Jr (see Forbes et al). 1997;134:865-71
- Ribeiro A, Lindmarker P, Juhlin-Dannfelt A, Johnson H, Jorfeldt L. Echocardiography Doppler in pulmonary embolism: right ventricular dysfunction as a predictor of mortality rate. 1997;134:479-87
- Riccardi G (see Capomolla et al). 1997;134:1089-98
- Rice MJ (see Xu et al). 1997;134:93-8
- Rich S (see McLaughlin et al). 1997;134:1115-9
- Richard P (see Henry et al). 1997;134:1037-43
- Riegger GAJ (see Muders et al). 1997;134:442-9
- Rigla M (see Martí et al). 1997;134:1133-7
- Rizzo MJ (see Gibson et al). 1997;134:351-4
- Rocco TA Jr (see Philbin and Rocco). 1997;134:188-95
- Roger VL, Seward JB, Bailey KR, Oh JK, Mullany CJ. Aortic valve resistance in aortic stenosis: Doppler echocardiographic study and surgical correlation. 1997;134:924-9
- Roguin N (see Du et al). 1997;134:532-7
- Rollon MJ (see Vilacosta et al). 1997;134:495-507
- Rolnitzky L (see Bloomfield et al). 1997;134:316-20
- Rombola AT (see Kochiadakis et al). 1997;134:459-66
- Rosenthal GL (see Forbes et al). 1997;134:865-71
- Roskamm H (see Meyer et al). 1997;134:20-6
- Ross RD (see Tantengco et al). 1997;134:1082-8
- Roth JA (see Gallik et al). 1997;134:155-60
- Rothman A (see Park et al). 1997;134:917-23
- Rowland DG (see Schutte et al). 1997;134:527-31
- Rozenman Y, Mereuta A, Mosseri M, Lotan C, Nassar H, Hasin Y, Gotsman MS. Initial experience with long coronary stents: the changing practice of coronary angioplasty. 1997;134:355-61
- Rubin DN, Ballal RS, Marwick TH. Outcomes and cost implications of a clinical-based algorithm to guide the discriminate use of stress imaging before noncardiac surgery. 1997;134:83-92
- Rubin SA (see Mayer and Rubin). 1997;134:577-86
- Ruiz CE (see Zhang et al). 1997;134:772-8
- Ruschitzka FT, Lüscher TF. Is there a rationale for combining angiotensin-converting enzyme inhibitors and calcium antagonists in cardiovascular disease? 1997;134:S31-47
- Rutishauser W (see Zimmermann et al). 1997;134:1019-28
- Ryan K (see Gibson et al). 1997;134:351-4
- Ryan TJ (see Mendes et al). 1997;134:207-12

S

- Saab K (see Du et al). 1997;134:532-7

- Sagar K (see Smart et al). 1997;134:822-34
- Sagie A (see Padial et al). 1997;134:814-21
- (see Shapira et al). 1997;134:665-71
- Sahn DJ (see Xu et al). 1997;134:93-8
- Saidi P (see Philipp et al). 1997;134:978-84
- Saito T (see Oshima et al). 1997;134:961-6
- (see Suefuji et al). 1997;134:253-9
- Sakai K (see Ishihara et al). 1997;134:955-60
- (see Kurisu et al). 1997;134:345-50
- Sakamoto S (see Suzuki et al). 1997;134:974-7
- Sakuramoto H (see Suzuki et al). 1997;134:974-7
- Salvucci F (see Capomolla et al). 1997;134:1089-98
- Sánchez-Harguindey L (see Vilacosta et al). 1997;134:495-507
- Sanderson JE (see Yu and Sanderson). 1997;134:426-34
- San Roman JA (see Vilacosta et al). 1997;134:495-507
- Sato H (see Ishihara et al). 1997;134:955-60
- (see Kurisu et al). 1997;134:345-50
- Satomura K (see Takase et al). 1997;134:945-54
- Savage MP (see Krumholz et al). 1997;134:337-44
- Schacherer C (see Weis et al). 1997;134:306-15
- Schatz RA. The evolution of antithrombotic therapy in coronary stenting. 1997;134:S77-9
- Schibgilla V (see Achenbach et al). 1997;134:467-73
- Schmitt B (see McDermott et al). 1997;134:728-36
- (see McDermott et al). 1997;134:901-9
- Schmitz O (see Botker et al). 1997;134:229-37
- Schneeweiss A (see Davies et al). 1997;134:220-8
- Schoebel FC, Frazier OH, Jessurun GAJ, de Jongste MJL, Kadipasaoglu KA, Jax TW, Heintzen MP, Cooley DA, Strauer BE, Leschke M. Refractory angina pectoris in end-stage coronary artery disease: evolving therapeutic concepts. 1997;134:587-602
- Schömig A (see Alt et al). 1997;134:419-25
- Schulman DS, Lasorda D, Farah T, Soukas P, Reichel N, Joye JD. Correlations between coronary flow reserve measured with a Doppler guide wire and treadmill exercise testing. 1997;134:99-104
- Schulman K (see Califf et al). 1997;134:44-54
- Schutte DA, Rowland DG, Allen HD, Bharati S. Prominent venous valves in hypoplastic right hearts. 1997;134:527-31
- Schwaibold M (see Meyer et al). 1997;134:20-6
- Schwartz PJ (see Stramba-Badiale et al). 1997;134:406-10
- Scott NA (see Waksman et al). 1997;134:274-81
- Segovia J (see Alfonso et al). 1997;134:703-11
- Seino Y (see Tomita et al). 1997;134:779-86
- Selby JV (see Barron et al). 1997;134:608-13
- Sentici A (see Zimmermann et al). 1997;134:1019-28
- Sessa F (see Maggioni et al). 1997;134:59-14
- Seward JB (see Ammash et al). 1997;134:508-13
- (see Roger et al). 1997;134:924-9
- Shandling AH, Ellestad MH, Hart GB, Crump R, Marlow D, Van Natta B, Messenger JC, Strauss M, Stavitsky Y. Hyperbaric oxygen and thrombolysis in myocardial infarction: the "HOT MI" Pilot Study. 1997;134:544-50
- Shapira Y, Fernberg MS, Hirsch R, Nili M, Sagie A. Echocardiography can detect cloth cover tears in fully covered Starr-Edwards valves: a long-term clinical and echocardiographic study. 1997;134:665-71
- Shen Y (see Waksman et al). 1997;134:274-81
- Sheu S-H (see Lee et al). 1997;134:799-806
- Sheu WH-H (see Jeng et al). 1997;134:565-71
- Shibata N (see Hayano et al). 1997;134:1029-36
- Shieh S-M (see Jeng et al). 1997;134:565-71
- Shimada K (see Hayashi et al). 1997;134:292-7
- Shimatani Y (see Ishihara et al). 1997;134:955-60
- (see Kurisu et al). 1997;134:345-50
- Shiota T (see Xu et al). 1997;134:93-8
- Shyu K-G, Chang H, Lin C-C, Huang F-Y, Hung C-R. Concentrations of serum interleukin-8 after successful cardiopulmonary resuscitation in patients with cardiopulmonary arrest. 1997;134:551-6
- Sigurd B (see Hansen et al). 1997;134:S48-52
- Silberschatz H (see Kannel et al). 1997;134:758-63
- Simantirakis EN (see Kochiadakis et al). 1997;134:459-66
- Sindone AP, Keogh AM, Macdonald PS, McCosker CJ, Kaan AF. Continuous home ambulatory intravenous inotropic drug therapy in severe heart failure: safety and cost efficacy. 1997;134:889-900
- Sisti M (see Capomolla et al). 1997;134:1089-98
- Skinner M (see Dubrey et al). 1997;134:994-1001
- Sklansky MS (see Park et al). 1997;134:917-23
- Sleight P. Professor Peter Sleight's reflections on the use of β -blocking agents after myocardial infarction. 1997;134:S15-20
- Smart S, Stoiber T, Hellman R, Duchak J, Wynsen J, Kitapci M, Isitman A, Krasnow A, Collier BD, Sagar K. Low dose dobutamine echocardiography is more predictive of reversible dysfunction after acute myocardial infarction than resting single photon emission computed tomographic thallium-201 scintigraphy. 1997;134:822-34
- Smialek J (see Buske et al). 1997;134:282-91
- Smith JJ (see Patten et al). 1997;134:37-43
- Snader CE (see Lauer et al). 1997;134:807-13
- Soejima H (see Oshima et al). 1997;134:961-6
- (see Suefuji et al). 1997;134:253-9
- Soler-Soler J (see Califf et al). 1997;134:44-54
- Somsen GA, Szabó BM, van Veldhuisen DJ, de Milliano PAR, de Groot CA, Lie KI. Comparison between iodine 123 metaiodobenzylguanidine scintigraphy and heart rate variability for the assessment of cardiac sympathetic activity in mild to moderate heart failure. 1997;134:456-8
- Soukas P (see Schulman et al). 1997;134:99-104
- Spain MG (see Chareonthaitawee et al). 1997;134:639-46
- Sparano A (see Gibson et al). 1997;134:351-4
- Spears JR (see Glazier et al). 1997;134:266-73
- Stacpoole PW (see Bersin and Stacpoole). 1997;134:841-55
- Stavitsky Y (see Shandling et al). 1997;134:544-50
- Steg PG, Himbert D, Benamer H, Karrillon G, Boccard A, Aubry P, Juliard J-M. Conservative management of patients with acute myocardial infarction and spontaneous acute patency of the infarct-related artery. 1997;134:248-52
- (see Laperche et al). 1997;134:1044-51
- Stein KM (see Lee et al). 1997;134:1005-13
- Steinberg JS (see Ehler et al). 1997;134:985-93
- Steinman R (see Bloomfield et al). 1997;134:316-20
- (see Curtis et al). 1997;134:787-98
- Stewart D (see Patten et al). 1997;134:37-43
- Stoiber T (see Smart et al). 1997;134:822-34
- Stone CC (see Hannan et al). 1997;134:1120-8
- Stramba-Badiale M, Goulene K, Schwartz PJ. Effects of β -adrenergic blockade on dispersion of ventricular repolarization in newborn infants with prolonged QT interval. 1997;134:406-10
- Strauer BE (see Schoebel et al). 1997;134:587-602
- Strauss M (see Shandling et al). 1997;134:544-50
- Strickberger SA (see Vorperian et al). 1997;134:173-80
- Suefuji H, Ogawa H, Yasue H, Kaikita K, Soejima H, Motoyama T, Mizuno Y, Oshima S, Saito T, Tsuji I, Kumeda K, Kamikubo Y, Nakamura S. Increased plasma tissue factor levels in acute myocardial infarction. 1997;134:253-9
- (see Oshima et al). 1997;134:961-6
- Sugimura T (see Akagi et al). 1997;134:538-43
- Sugishita Y (see Watanabe et al). 1997;134:614-21
- Sugrue DD (see Hennessy et al). 1997;134:685-92
- Sullivan NM (see Tantengco et al). 1997;134:1082-8
- Sumida H (see Oshima et al). 1997;134:961-6
- Suwa M. Correction. 1997;134:1041 (Letter)
- Suzuki S, Sakamoto S, Koide M, Fujita H, Sakuramoto H, Kuroda

- T, Kintake T, Matsuo T. Hanshin-Awaji earthquake as a trigger for acute myocardial infarction. 1997;134:974-7
 Swain BE (see Barron et al). 1997;134:608-13
 Swedberg K (see Califf et al). 1997;134:44-54
 Szabó BM (see Somsen et al). 1997;134:456-8

T

- Tai C-T (see Lee et al). 1997;134:387-94
 Tai J-A (see van der Lugt et al). 1997;134:1075-81
 Takahashi M (see Inobe et al). 1997;134:112-8
 Takase B, Hikita H, Uehata A, Satomura K, Kurita A, Nakamura H. Effect of carteolol on silent myocardial ischemia, variability in heart rate, and the pain-modulating system. 1997;134:945-54
 Takatsu F (see Ichihara et al). 1997;134:260-5
 Talberg J (see Bursztyrn et al). 1997;134:238-47
 Tamai H (see Kosuga et al). 1997;134:712-8
 Tamby JF (see Larsen et al). 1997;134:435-41
 Tanaka S (see Kosuga et al). 1997;134:712-8
 Tanasijevic MJ, Cannon CP, Wybenga DR, Fischer GA, Grudzien C, Gibson CM, Winkelman JW, Antman EM, Braunwald E. Myoglobin, creatine kinase MB, and cardiac troponin-I to assess reperfusion after thrombolysis for acute myocardial infarction: results from TIMI 10A. 1997;134:622-30
 Tang A (see Buske et al). 1997;134:282-91
 Tantengco MVT, Ross RD, Humes RA, Sullivan NM, Joshi VM, Clapp SK, Epstein ML. Enhanced resting left ventricular filling in patients with successful coarctation repair and exercise-induced hypertension. 1997;134:1082-8
 Tateishi H (see Ishihara et al). 1997;134:955-60
 — (see Kurisu et al). 1997;134:345-50
 Tavazzi L (see Capomolla et al). 1997;134:1089-98
 — (see Mortara et al). 1997;134:879-88
 Tavel ME. Classification of systolic murmurs: still in search of consensus. 1997;134:330-6 (Curriculum cardi.)
 Thérour P. Antiplatelet therapy: Do the new platelet inhibitors add significantly to the clinical benefits of aspirin? 1997;134:562-70
 Thom D (see Every et al). 1997;134:1129-32
 Thomas JD (see Lauer et al). 1997;134:807-13
 — (see Leung et al). 1997;134:1052-7
 Tilvis R (see Bursztyrn et al). 1997;134:238-47
 Timmis SBH, Burns WJ, Hermiller JB, Parker MA, Meyers SN, Davidson CJ. Influence of coronary atherosclerotic remodeling on the mechanism of balloon angioplasty. 1997;134:1099-106
 Tofler GH. Triggering and the pathophysiology of acute coronary syndromes. 1997;134:555-61
 Tognoni G (see Maggioni et al). 1997;134:89-14
 Tomiguchi S (see Inobe et al). 1997;134:112-8
 Tomita Y, Kusama Y, Seino Y, Munakata K, Kishida H, Hayakawa H. Increased accumulation of acidic fibroblast growth factor in left ventricular myocytes of patients with idiopathic cardiomyopathy. 1997;134:779-86
 Tommaso CL (see Bergelson et al). 1997;134:362-81
 Tonati C (see Metz et al). 1997;134:131-7
 Torp-Pedersen C, Kober L, Burchardt H. The place of angiotensin-converting enzyme inhibition after acute myocardial infarction. 1997;134:525-30
 Travin MI, Duca MD, Kline GM, Herman SD, Demus DD, Heller GV. Relation of gender to physician use of test results and to the prognostic value of stress technetium 99m sestamibi myocardial single-photon emission computed tomography scintigraphy. 1997;134:73-82
 Truman AF (see Barron et al). 1997;134:608-13
 Tsuboi N (see Yoshida et al). 1997;134:382-6
 Tsuji I (see Suefuji et al). 1997;134:253-9
 Tsunekawa A (see Ichihara et al). 1997;134:260-5

- Tsutamoto T, Wada A, Maeda K, Hisanaga T, Fukai D, Maeda Y, Ohnishi M, Mabuchi N, Kinoshita M. Digitalis increases brain natriuretic peptide in patients with severe congestive heart failure. 1997;134:910-6
 Tung CY (see Alexander et al). 1997;134:138-54
 Turjanmaa V (see Viik et al). 1997;134:488-94
 Turpie AGG. Successors to heparin: new antithrombotic agents. 1997;134:S71-6

U

- Udelson JE (see Patten et al). 1997;134:37-43
 Ueda K (see Ishihara et al). 1997;134:955-60
 — (see Kosuga et al). 1997;134:712-8
 — (see Kurisu et al). 1997;134:345-50
 Uehata A (see Takase et al). 1997;134:945-54
 Uehata H (see Kosuga et al). 1997;134:712-8
 Uretsky BF (see Califf et al). 1997;134:44-54

V

- Vaitkus PT. Patient acceptance of reused angioplasty equipment. 1997;134:127-30
 Van den Heuvel P (see Vanderschueren et al). 1997;134:213-9
 van der Lugt A, Gussenhoven EJ, von Birgelen C, Tai J-A, Pieterman H. Failure of intravascular ultrasound to predict dissection after balloon angioplasty by using plaque characteristics. 1997;134:1075-81
 Vanderschueren S, Dens J, Kerdinichai P, Desmet W, Vrolix M, De Man F, Van den Heuvel P, Hermans L, Collen D, Van de Werf F. Randomized coronary patency trial of double-bolus recombinant staphylokinase versus front-loaded alteplase in acute myocardial infarction. 1997;134:213-9
 Van de Werf F (see Vanderschueren et al). 1997;134:213-9
 Van Leeuwen TG (see Pasterkamp et al). 1997;134:680-4
 Van Natta B (see Shandling et al). 1997;134:544-50
 van Veldhuisen DJ (see Somsen et al). 1997;134:456-8
 Vardas PE (see Kochiadakis et al). 1997;134:459-66
 Venditti M (see De Castro et al). 1997;134:656-64
 Vernon S, Kaul S, Powers ER, Camarano G, Gimple LW, Ragosta M. Myocardial viability in patients with chronic coronary artery disease and previous myocardial infarction: comparison of myocardial contrast echocardiography and myocardial perfusion scintigraphy. 1997;134:835-40
 Viik J, Lehtinen R, Turjanmaa V, Niemelä K, Malmivuo J. The effect of lead selection on traditional and heart rate-adjusted ST segment analysis in the detection of coronary artery disease during exercise testing. 1997;134:488-94
 Vilacosta I, San Roman JA, Ferreirós J, Aragoncillo P, Méndez R, Castillo JA, Rollon MJ, Battle E, Peral V, Sánchez-Harguindey L. Natural history and serial morphology of aortic intramural hematoma: a novel variant of aortic dissection. 1997;134:495-507
 Viñolas X (see Homs et al). 1997;134:181-7
 Virmani R (see Buske et al). 1997;134:282-91
 Viskin S (see Barron et al). 1997;134:608-13
 Volman S (see Iparraquiere et al). 1997;134:631-8
 von Bernuth G (see Massin et al). 1997;134:298-305
 von Birgelen C (see van der Lugt et al). 1997;134:1075-81
 Vorperian VR, Langberg JJ, Strickberger SA, Morady F. Effect of electrophysiologic properties and location of manifest accessory pathways on local electrogram intervals at effective radiofrequency ablation sites. 1997;134:173-80
 Vrolix M (see Vanderschueren et al). 1997;134:213-9

W

- Wada A (see Tsutomoto et al). 1997;134:910-6
Wagner GS (see Pahlm et al). 1997;134:1014-8
Wahlers T (see Heublein et al). 1997;134:930-8
Wajngarten M (see Bocchi et al). 1997;134:737-44
Waksman R, Weintraub WS, Ghazzal Z, Scott NA, Shen Y, King SB III, Douglas JS Jr. Short- and long-term outcome of narrowed saphenous vein bypass graft: a comparison of Palmaz-Schatz stent, directional coronary atherectomy, and balloon angioplasty. 1997;134:274-81
Walsh JT, Andrews R, Curtis S, Evans A, Cowley AJ. Effects of amlodipine in patients with chronic heart failure. 1997;134:872-8
Wang C-H, Cherng W-J, Hung M-J. Effect of dobutamine-induced myocardial ischemia on Doppler echocardiography after myocardial infarction. 1997;134:1058-65
Warnes CA (see Ammassi et al). 1997;134:508-13
Wasserman K (see Adachi et al). 1997;134:196-202
Watanabe H, Kakiyama M, Ohtsuka S, Sugishita Y. Effects of enalapril during continuous nitrate therapy: analysis of diameter of coronary arteries and platelet cyclic guanosine monophosphate. 1997;134:614-21
Waugh R (see Hayano et al). 1997;134:411-8
Weaver WD (see Every et al). 1997;134:1129-32
Webb SM (see Martí et al). 1997;134:1133-7
Wéber H (see Pérez et al). 1997;134:745-51
Weintraub WS (see Waksman et al). 1997;134:274-81
Weis M, Peter-Wolf W, Mazzilli N, Olbrich H-G, Schacherer C, Wiener J, Burger W, Hartmann A. Variations of segmental endothelium-dependent and endothelium-independent vasomotor tone after cardiac transplantation (qualitative changes in endothelial function). 1997;134:306-15
Welch PJ (see Joglar et al). 1997;134:161-4
Welsh C (see Nolan et al). 1997;134:939-44
Wen Z-C (see Lee et al). 1997;134:387-94
West A (see Do et al). 1997;134:672-9
Westbrook S (see Meyer et al). 1997;134:20-6
Weyman AE (see Padial et al). 1997;134:814-21
Wheeler W (see Califf et al). 1997;134:44-54
White T (see Pahlm et al). 1997;134:1014-8
Wiener J (see Weis et al). 1997;134:306-15
Wilkinson WE (see Joglar et al). 1997;134:161-4
Williams C (see Krumholz et al). 1997;134:337-44
Williams WG (see Beghetti et al). 1997;134:1107-14
Wilson AC (see Philipp et al). 1997;134:978-84
Winkelman JW (see Tanasijevic et al). 1997;134:622-30
Wolfe CL (see Drew et al). 1997;134:474-8
Woltjer HH, Bogaard HJ, Bronzwaer JGF, de Cock CC, de Vries PMJM. Prediction of pulmonary capillary wedge pressure and

assessment of stroke volume by noninvasive impedance cardiography. 1997;134:450-5

- Wong CC (see Barron et al). 1997;134:608-13
Wu J-C (see Lee et al). 1997;134:799-806
Wu S-N (see Lee et al). 1997;134:799-806
Wung S-F (see Drew et al). 1997;134:474-8
Wybenga DR (see Tanasijevic et al). 1997;134:622-30
Wynsen J (see Smart et al). 1997;134:822-34

X

- Xu J, Shiota T, Omoto R, Zhou X, Kyo S, Ishii M, Rice MJ, Sahn DJ. Intravascular ultrasound assessment of regional aortic wall stiffness, distensibility, and compliance in patients with coarctation of the aorta. 1997;134:93-8

Y

- Yamada Y (see Ichihara et al). 1997;134:260-5
Yamasaki K (see Hayano et al). 1997;134:1029-36
Yamashita S (see Oshima et al). 1997;134:961-6
Yasue H (see Inobe et al). 1997;134:112-8
— (see Oshima et al). 1997;134:961-6
— (see Suefuji et al). 1997;134:253-9
Yokota M (see Ichihara et al). 1997;134:260-5
Yoshida Y, Morimoto S-I, Hiramitsu S, Tsuboi N, Hirayama H, Itoh T. Incidence of cardiac sarcoidosis in Japanese patients with high-degree atrioventricular block. 1997;134:382-6
Yu CM, Sanderson JE. Right and left ventricular diastolic function in patients with and without heart failure: effect of age, sex, heart rate, and respiration on Doppler-derived measurements. 1997;134:426-34
Yu W-C (see Lee et al). 1997;134:387-94
Yusuf S (see Patten et al). 1997;134:37-43

Z

- Zaini G (see Lombardo et al). 1997;134:557-64
Zannad F (see Califf et al). 1997;134:44-54
Zanni D (see Lombardo et al). 1997;134:557-64
Zhang HP, Ruiz CE, Allen JW, Lau FYK. A novel prognostic scoring system to predict late outcome after percutaneous balloon valvotomy in patients with severe mitral stenosis. 1997;134:772-8
Zhou X (see Xu et al). 1997;134:93-8
Zidar JP. Rationale for low-molecular weight heparin in coronary stenting. 1997;134:S80-6
Zilabi Z (see Lörcincz et al). 1997;134:1138-40 (Letter)
Zimmermann M, Sentici A, Adamec R, Metzger J, Mermillod B, Rutishauser W. Long-term prognostic significance of ventricular late potentials after a first acute myocardial infarction. 1997;134:1019-28

Subject index*

A

Abrupt vessel closure; see Arterial occlusive diseases

Accessory pathways; see Heart conduction system

Acidic fibroblast growth factor; see Fibroblast growth factor, acidic

Acute coronary syndromes; see Coronary disease

Adenosine

Differential effects of adenosine on antegrade and retrograde fast pathway conduction in atrioventricular nodal reentry (Lee et al). 1997;134:799-806

Adrenergic beta receptor agonists

Atrioventricular node reentrant tachycardia in patients with a long fast pathway effective refractory period: clinical features, electrophysiologic characteristics, and results of radiofrequency ablation (Lee et al). 1997;134:387-94

Adrenergic beta receptor blockers

Effect of β -adrenergic blocking agents on mortality rate in patients not revascularized after myocardial infarction: data from a large HMO (Barron et al). 1997;134:608-13

Effects of β -adrenergic blockade on dispersion of ventricular repolarization in newborn infants with prolonged QT interval (Stramba-Badiale et al). 1997;134:406-10

Professor Peter Sleight's reflections on the use of β -blocking agents after myocardial infarction (Sleight). 1997;134:S15-20

Treatment of acute myocardial infarction today (Maggioni et al). 1997;134:S9-14

Adrenergic-blocking agents; see Sympatholytics

Age factors

Increasing age is a major risk factor for hemorrhagic complications after pulmonary embolism thrombolysis (Mikkola et al). 1997;134:69-72

Right and left ventricular diastolic function in patients with and without heart failure: effect of age, sex, heart rate, and respiration on Doppler-derived measurements (Yu and Sanderson). 1997;134:426-34

Aged

Blood pressure and cardiovascular morbidity and mortality rates in the elderly (Kannel et al). 1997;134:758-63

Coronary artery bypass grafting in the elderly (Alexander and Peterson). 1997;134:856-64

Mibefradil, a novel calcium antagonist, in elderly patients with hypertension: favorable hemodynamics and pharmacokinetics (Bursztyn et al). 1997;134:238-47

Algorithms

Outcomes and cost implications of a clinical-based algorithm to guide the discriminate use of stress imaging before non-cardiac surgery (Rubin et al). 1997;134:83-92

Alteplase

Randomized coronary patency trial of double-bolus recombinant staphylokinase versus front-loaded alteplase in acute myocardial infarction (Vanderschueren et al). 1997;134:213-9

American College of Cardiology Meeting

Session highlights from the American College of Cardiology Meeting: March 16-19, 1997 (Alexander et al). 1997;134:138-54

*July, pp. 1-154; August, pp. 155-336; September, pp. 337-586; October, pp. 587-786; November, pp. 787-984; December, pp. 985-1142.

Amlodipine; see Calcium channel blockers

Amyloidosis

Signal-averaged electrocardiography in patients with AL (primary) amyloidosis (Dubrey et al). 1997;134:994-1001

Angina pectoris

Long-lasting abnormalities in cardiac sympathetic nervous system in patients with coronary spastic angina: quantitative analysis with iodine 123 metaiodobenzylguanidine myocardial scintigraphy (Inobe et al). 1997;134:112-8

Long-term antianginal and antiischemic effects of mibefradil, the novel T-type calcium channel blocker: a multicenter, double-blind, placebo-controlled, randomized comparison with sustained-release diltiazem (Davies et al). 1997;134:220-8

Refractory angina pectoris in end-stage coronary artery disease: evolving therapeutic concepts (Schoebel et al). 1997;134:587-602

Treatment with verapamil and trandolapril in patients with congestive heart failure and angina pectoris or myocardial infarction (Hansen et al). 1997;134:548-52

Angina pectoris, variant

Insulin resistance in cardiac syndrome X and variant angina: influence of physical capacity and circulating lipids (Bøtker et al). 1997;134:229-37

Angiography

Angiographic study of aorta, coronary arteries, and left ventricular performance after neonatal arterial switch operation for simple transposition of the great arteries (Massin et al). 1997;134:298-305

Angioplasty, laser

Laser balloon angioplasty combined with local intracoronary heparin therapy: immediate and short-term follow-up results (Glazier et al). 1997;134:266-73

Angioplasty, transluminal

Balloon angioplasty of native aortic coarctation in infants 3 months of age and younger (Park et al). 1997;134:917-23

Failure of intravascular ultrasound to predict dissection after balloon angioplasty by using plaque characteristics (van der Lugt et al). 1997;134:1075-81

Influence of coronary atherosclerotic remodeling on the mechanism of balloon angioplasty (Timmis et al). 1997;134:1099-106

Angioplasty, transluminal, percutaneous coronary

Abrupt vessel closure: changing importance, management, and consequences (Bergelson et al). 1997;134:362-81

Arterial remodeling after balloon angioplasty of the coronary artery: an intravascular ultrasound study (Pasterkamp et al). 1997;134:680-4

Comparison of 6F with 7F and 8F guiding catheters for elective coronary angioplasty: results of a prospective, multicenter, randomized trial (Metz et al). 1997;134:131-7

Conservative management of patients with acute myocardial infarction and spontaneous acute patency of the infarct-related artery (Steg et al). 1997;134:248-52

Coronary artery stenting in cardiac allograft vascular disease (Heublein et al). 1997;134:930-8

Effect of coronary angioplasty on QT dispersion (Kelly et al). 1997;134:399-405

The evolution of antithrombotic therapy in coronary stenting (Schatz). 1997;134:S77-9

Feasibility and applicability of coronary stent implantation with the direct brachial approach: results of a single-center study (Nolan et al). 1997;134:939-44

Health after coronary stenting or balloon angioplasty: results from the Stent Restenosis Study (Krumholz et al). 1997;134:337-44

Initial experience with long coronary stents: the changing practice of coronary angioplasty (Rozenman et al). 1997;134:355-61

Angioplasty, transluminal, percutaneous coronary—cont'd

- Noninvasive prediction of residual blood flow within the risk area during acute myocardial infarction: a multicenter validation study of patients undergoing direct coronary angioplasty (Chareonthaitawee et al). 1997;134:639-46
- Patient acceptance of reused angioplasty equipment (Vaitkus). 1997;134:127-30
- Short- and long-term outcome of narrowed saphenous vein bypass graft: a comparison of Palmaz-Schatz stent, directional coronary atherectomy, and balloon angioplasty (Waksman et al). 1997;134:274-81
- Treatment of acute myocardial infarction today (Maggioni et al). 1997;134:S9-14
- Trends in success rate after percutaneous transluminal coronary angioplasty in men and women with coronary artery disease (Hussain et al). 1997;134:719-27

Angioscopy

- Angioscopic evaluation of angiographically complex coronary lesions (Alfonso et al). 1997;134:703-11

Angiotensin-converting enzyme inhibitors

- Acute and long-term effects of the angiotensin-converting enzyme inhibitor, enalapril, on adrenergic activity and sensitivity during exercise in patients with left ventricular systolic dysfunction (Patten et al). 1997;134:37-43
- The effects of the angiotensin-converting enzyme inhibitor imidapril on plasma plasminogen activator inhibitor activity in patients with acute myocardial infarction (Oshima et al). 1997;134:961-6
- Heart failure between 1986 and 1994: temporal trends in drug-prescribing practices, hospital readmissions, and survival at an academic medical center (McDermott et al). 1997;134:901-9
- Is there a rationale for combining angiotensin-converting enzyme inhibitors and calcium antagonists in cardiovascular disease? (Ruschitzka and Lüscher). 1997;134:S31-47
- Long-term effects of angiotensin-converting enzyme inhibitors and calcium antagonists on the right and left ventricles in essential hypertension (Lombardo et al). 1997;134:557-64
- The place of angiotensin-converting enzyme inhibition after acute myocardial infarction (Torp-Pedersen et al). 1997;134:S25-30
- Treatment of acute myocardial infarction today (Maggioni et al). 1997;134:S9-14
- Use of angiotensin-converting enzyme inhibitors in heart failure with preserved left ventricular systolic function (Philbin and Rocco). 1997;134:188-95

Angiotensinogen

- Lack of association between variants of the angiotensinogen gene and the risk of coronary artery disease in middle-aged Japanese men (Ichihara et al). 1997;134:260-5

Antiplatelet agents; see Platelet aggregation inhibitors**Antithrombotic agents; see Fibrinolytic agents****Anxiety**

- Effect of informed consent on anxiety in patients undergoing diagnostic electrophysiology studies (Goldberger et al). 1997;134:119-26

Aorta

- Angiographic study of aorta, coronary arteries, and left ventricular performance after neonatal arterial switch operation for simple transposition of the great arteries (Massin et al). 1997;134:298-305

Aorta, anatomy and histology

- Intravascular ultrasound assessment of regional aortic wall stiffness, distensibility, and compliance in patients with coarctation of the aorta (Xu et al). 1997;134:93-8

Aorta, pathology

- Two-dimensional echocardiographic assessment of the progression of aortic root size in 127 patients with chronic aortic

regurgitation: role of the supraaortic ridge and relation to the progression of the lesion (Padial et al). 1997;134:814-21

Aortic coarctation

- Balloon angioplasty of native aortic coarctation in infants 3 months of age and younger (Park et al). 1997;134:917-23
- Enhanced resting left ventricular filling in patients with successful coarctation repair and exercise-induced hypertension (Tantengco et al). 1997;134:1082-8
- Intravascular ultrasound assessment of regional aortic wall stiffness, distensibility, and compliance in patients with coarctation of the aorta (Xu et al). 1997;134:93-8

Aortic dissection; see Dissection**Aortic valve insufficiency**

- Two-dimensional echocardiographic assessment of the progression of aortic root size in 127 patients with chronic aortic regurgitation: role of the supraaortic ridge and relation to the progression of the lesion (Padial et al). 1997;134:814-21

Aortic valve stenosis

- Aortic valve resistance in aortic stenosis: Doppler echocardiographic study and surgical correlation (Roger et al). 1997;134:924-9

Aortography

- Natural history and serial morphology of aortic intramural hematoma: a novel variant of aortic dissection (Vilacosta et al). 1997;134:495-507

Arrhythmia

- Automatic measurement of corrected QT interval in Holter recordings: comparison of its dynamic behavior in patients after myocardial infarction with and without life-threatening arrhythmias (Homs et al). 1997;134:181-7

Arterial baroreflex sensitivity; see Receptors, sensory**Arterial occlusive diseases**

- Abrupt vessel closure: changing importance, management, and consequences (Bergelson et al). 1997;134:362-81
- Coil occlusion of patent ductus arteriosus with detachable coils (Akagi et al). 1997;134:538-43

Aspirin

- Antiplatelet therapy: do the new platelet inhibitors add significantly to the clinical benefits of aspirin? (Thérault). 1997;134:S62-70

Atherectomy, coronary

- Effectiveness of tranilast on restenosis after directional coronary atherectomy (Kosuga et al). 1997;134:712-8

Atherosclerosis

- Effects of hormone-replacement therapy on hemostatic factors, lipid factors, and endothelial function in women undergoing surgical menopause: implications for prevention of atherosclerosis (Lip et al). 1997;134:764-71
- Failure of intravascular ultrasound to predict dissection after balloon angioplasty by using plaque characteristics (van der Lugt et al). 1997;134:1075-81

Atrial appendage flow; see Heart atrium, blood supply**Atrial fibrillation**

- Efficacy and safety of sotalol in patients with refractory atrial fibrillation or flutter (Gallik et al). 1997;134:155-60
- Is left atrial appendage flow a predictor for outcome of cardioversion of nonvalvular atrial fibrillation? A transthoracic and transesophageal echocardiographic study (Pérez et al). 1997;134:745-51
- Patient characteristics and underlying heart disease as predictors of recurrent atrial fibrillation after internal and external cardioversion in patients treated with oral sotalol (Alt et al). 1997;134:419-25

Atrial flutter

- Efficacy and safety of sotalol in patients with refractory atrial fibrillation or flutter (Gallik et al). 1997;134:155-60

Atrioventricular block; see Heart block

Autonomic nervous system

- Assessment of autonomic function at rest and during tilt testing in patients with vasovagal syncope (Kochiadakis et al). 1997;134:459-66
- Passive head-up tilt and actively standing up produce similar overall changes in autonomic balance (Bloomfield et al). 1997;134:316-20

B**Balance, autonomic; see Autonomic nervous system****Balloon angioplasty; see Angioplasty, transluminal****Balloon dilatation**

- A novel prognostic scoring system to predict late outcome after percutaneous balloon valvotomy in patients with severe mitral stenosis (Zhang et al). 1997;134:772-8

Baroreflex sensitivity; see Receptors, sensory**Basilar ventricular septum; see Heart septum****Beta adrenergic blockades; see Adrenergic beta receptor blockaders****Biological markers**

- Early behavior of biochemical markers in patients with Thrombolysis in Myocardial Infarction grade 2 flow in the infarct artery as opposed to other flow grades after intravenous thrombolysis for acute myocardial infarction (Laperche et al). 1997;134:1044-51

Blood coagulation

- Effects of warfarin on markers of hypercoagulability in patients with heart failure (Jafri et al). 1997;134:27-36

Blood pressure

- Blood pressure and cardiovascular morbidity and mortality rates in the elderly (Kannel et al). 1997;134:758-63

Brachial artery

- Feasibility and applicability of coronary stent implantation with the direct brachial approach: results of a single-center study (Nolan et al). 1997;134:939-44

Bradykinin

- Cardiovascular complications of malignant carcinoid disease (Anderson et al). 1997;134:693-702

Brain natriuretic peptide; see Natriuretic hormone**C****Calcium channel blockers**

- Effect of amlodipine on norepinephrine kinetics and baroreflex function in patients with congestive heart failure (Goldsmith). 1997;134:13-9
- Effects of amlodipine in patients with chronic heart failure (Walsh et al). 1997;134:872-8
- Is there a rationale for combining angiotensin-converting enzyme inhibitors and calcium antagonists in cardiovascular disease? (Ruschitzka and Lüscher). 1997;134:531-47
- Long-term antianginal and antiischemic effects of mibefradil, the novel T-type calcium channel blocker: a multicenter, double-blind, placebo-controlled, randomized comparison with sustained-release diltiazem (Davies et al). 1997;134:220-8
- Long-term effects of angiotensin-converting enzyme inhibitors and calcium antagonists on the right and left ventricles in essential hypertension (Lombardo et al). 1997;134:557-64
- Mibefradil, a novel calcium antagonist, in elderly patients with hypertension: favorable hemodynamics and pharmacokinetics (Burszty et al). 1997;134:238-47
- Safety of heart rate-lowering calcium antagonists: lessons from controlled trials (Messerli and Michalewicz). 1997;134:521-4

Cancer; see Neoplasms**Carcinoid heart disease**

- Cardiovascular complications of malignant carcinoid disease (Anderson et al). 1997;134:693-702

Cardiac abnormalities; see Heart defects, congenital**Cardiac allograft vascular disease; see Graft occlusion, vascular****Cardiac pacemaker; see Pacemaker, artificial****Cardiac sarcoidosis; see Sarcoidosis****Cardiac surgery outcome data; see Outcome assessment (health care)****Cardiac syndrome X; see Heart diseases****Cardiac transplantation; see Heart transplantation****Cardiography, impedance**

- Prediction of pulmonary capillary wedge pressure and assessment of stroke volume by noninvasive impedance cardiography (Wolter et al). 1997;134:450-5

Cardiomyopathies; see Myocardial diseases**Cardiomyopathy, hypertrophic**

- Heart rate variability in patients with hypertrophic cardiomyopathy: association with clinical and echocardiographic features (Bonaduce et al). 1997;134:165-72

Cardiopulmonary resuscitation

- Concentrations of serum interleukin-8 after successful cardiopulmonary resuscitation in patients with cardiopulmonary arrest (Shyu et al). 1997;134:551-6

Cardiotonic agents

- Continuous home ambulatory intravenous inotropic drug therapy in severe heart failure: safety and cost efficacy (Sindone et al). 1997;134:889-900

Cardiovascular diseases

- Is there a rationale for combining angiotensin-converting enzyme inhibitors and calcium antagonists in cardiovascular disease? (Ruschitzka and Lüscher). 1997;134:531-47

Cardiovascular morbidity; see Morbidity**Cardiovascular mortality; see Mortality****Cardioversion; see Electric countershock****Carteolol**

- Effect of carteolol on silent myocardial ischemia, variability in heart rate, and the pain-modulating system (Takase et al). 1997;134:945-54

Catheter ablation

- Atrioventricular node reentrant tachycardia in patients with a long fast pathway effective refractory period: clinical features, electrophysiologic characteristics, and results of radiofrequency ablation (Lee et al). 1997;134:387-94
- Effect of electrophysiologic properties and location of manifest accessory pathways on local electrogram intervals at effective radiofrequency ablation sites (Vorperian et al). 1997;134:173-80

Cavopulmonary shunt

- Risk factors for life-threatening cavopulmonary thrombosis in patients undergoing bidirectional superior cavopulmonary shunt: an exploratory study (Forbes et al). 1997;134:865-71

Cells

- Increased accumulation of acidic fibroblast growth factor in left ventricular myocytes of patients with idiopathic cardiomyopathy (Tomita et al). 1997;134:779-86

Child

- Balloon angioplasty of native aortic coarctation in infants 3 months of age and younger (Park et al). 1997;134:917-23
- Pediatric primary benign cardiac tumors: a 14-year review (Beghetti et al). 1997;134:1107-14

Cholesterol

- Elevated plasma lipid hydroperoxides in patients with coronary artery disease (Kovacs et al). 1997;134:572-6

Cigarette smoking; see Smoking

Circadian rhythm

Circadian variation of sustained ventricular tachycardia in patients subject to standard adrenergic blockade (Nanthakumar et al). 1997;134:752-7

Stability over time of circadian rhythm of variability of heart rate in patients with stable coronary artery disease (Hayano et al). 1997;134:411-8

Coils; see Equipment and supplies**Comparative study, pacemaker leads**

Initial experience with a high-impedance tined endocardial pacemaker lead: evidence for increased lead failure (Joglar et al). 1997;134:161-4

Congestive heart failure; see Heart failure, congestive**Contrast echocardiography; see Echocardiography****Coronary angiography**

An agreement approach to predict severe angiographic coronary artery disease with clinical and exercise test data (Do et al). 1997;134:672-9

Angioscopic evaluation of angiographically complex coronary lesions (Alfonso et al). 1997;134:703-11

Clinical implications of cigarette smoking in acute myocardial infarction: acute angiographic findings and long-term prognosis (Ishihara et al). 1997;134:955-60

Expert opinion regarding indications for coronary angiography before noncardiac surgery (Cohen and Eagle). 1997;134:321-9

Initial experience with long coronary stents: the changing practice of coronary angioplasty (Rozenman et al). 1997;134:355-61

Relation between injections before 90-minute angiography and coronary patency: results of the Thrombolysis in Myocardial Infarction 4 Trial (Gibson et al). 1997;134:351-4

Coronary angioplasty; see Angioplasty, transluminal, percutaneous coronary**Coronary arteriosclerosis**

Effectiveness of trinitast on restenosis after directional coronary atherectomy (Kosuga et al). 1997;134:712-8

Influence of coronary atherosclerotic remodeling on the mechanism of balloon angioplasty (Timmis et al). 1997;134:1099-106

Renin-angiotensin system: genes to bedside (Malik et al). 1997;134:514-26

Coronary artery bypass

Coronary artery bypass grafting in the elderly (Alexander and Peterson). 1997;134:856-64

Short- and long-term outcome of narrowed saphenous vein bypass graft: a comparison of Palmaz-Schatz stent, directional coronary atherectomy, and balloon angioplasty (Waksman et al). 1997;134:274-81

Coronary Artery Bypass Graft Patch Trial

Baseline characteristics of patients in the Coronary Artery Bypass Graft (CABG) Patch Trial (Curtis et al). 1997;134:787-98

Coronary disease, complications

Congestive heart failure in patients with coronary artery disease: the gender paradox (Mendes et al). 1997;134:207-12

Coronary disease, diagnosis

Accuracy and cost-effectiveness of exercise echocardiography for detection of coronary artery disease in patients with mitral valve prolapse (Leung et al). 1997;134:1052-7

An agreement approach to predict severe angiographic coronary artery disease with clinical and exercise test data (Do et al). 1997;134:672-9

Correlations between coronary flow reserve measured with a Doppler guide wire and treadmill exercise testing (Schulman et al). 1997;134:99-104

Dobutamine stress echocardiography in the detection of coronary artery disease: importance of the pretest likelihood of disease (Hennessy et al). 1997;134:685-92

The effect of lead selection on traditional and heart rate-adjusted ST segment analysis in the detection of coronary artery disease during exercise testing (Viik et al). 1997;134:488-94

Myocardial viability in patients with chronic coronary artery disease and previous myocardial infarction: comparison of myocardial contrast echocardiography and myocardial perfusion scintigraphy (Vernon et al). 1997;134:835-40

Relation of gender to physician use of test results and to the prognostic value of stress technetium 99m sestamibi myocardial single-photon emission computed tomography scintigraphy (Travin et al). 1997;134:73-82

Sex and diagnostic evaluation of possible coronary artery disease after exercise treadmill testing at one academic teaching center (Lauer et al). 1997;134:807-13

Coronary disease, drug therapy

Issues of cost-effectiveness in the use of antithrombotic therapy for ischemic heart disease (Califf and Mark). 1997;134:887-95

Relation between hormone replacement therapy in women and coronary artery disease estimated by electron beam tomography (McLaughlin et al). 1997;134:115-9

Coronary disease, epidemiology

Association of hemostatic factors with peripheral vascular disease (Philipp et al). 1997;134:978-84

Increased incidence of moderate stenosis among patients with diabetes: substrate for myocardial infarction? (Henry et al). 1997;134:1037-43

Coronary disease, ethnology

Lack of association between variants of the angiotensinogen gene and the risk of coronary artery disease in middle-aged Japanese men (Ichihara et al). 1997;134:260-5

Coronary disease, etiology

Introduction (Califf). 1997;134:853-4

Coronary disease, physiopathology

Triggering and the pathophysiology of acute coronary syndromes (Toffer). 1997;134:555-61

Coronary disease, prevention and control

Session highlights from the American College of Cardiology Meeting: March 16-19, 1997 (Alexander et al). 1997;134:138-54

Stability over time of circadian rhythm of variability of heart rate in patients with stable coronary artery disease (Hayano et al). 1997;134:411-8

Coronary disease, therapy

Changing myocardial infarction population characteristics: reasons and implications (Pepine). 1997;134:81-4

Session highlights from the American College of Cardiology Meeting: March 16-19, 1997 (Alexander et al). 1997;134:138-54

Trends in success rate after percutaneous transluminal coronary angioplasty in men and women with coronary artery disease (Hussain et al). 1997;134:719-27

Coronary stenting; see Stents**Correspondence**

Correction (Suwa). 1997;134:1041

ECG abnormalities in hemodialysis (Lörincz et al). 1997;134:1138-40

Cost-benefit analysis

Antiplatelet therapy: do the new platelet inhibitors add significantly to the clinical benefits of aspirin? (Théroneux). 1997;134:862-70

Continuous home ambulatory intravenous inotropic drug therapy in severe heart failure: safety and cost efficacy (Sindone et al). 1997;134:889-900

Issues of cost-effectiveness in the use of antithrombotic therapy for ischemic heart disease (Califf and Mark). 1997;134:887-95

Outcomes and cost implications of a clinical-based algorithm to guide the discriminate use of stress imaging before non-cardiac surgery (Rubin et al). 1997;134:83-92

Creatine kinase

Myoglobin, creatine kinase MB, and cardiac troponin-1 to assess reperfusion after thrombolysis for acute myocardial infarction: results from TIMI 10A (Tanasijevic et al). 1997;134:622-30

Curriculum in cardiology

Curriculum in cardiology. 1997;134:330-6

Cyclic guanosine monophosphate; see Guanosine cyclic monophosphate**Cytosine**

Cardiac abnormalities and cytosine-thymine-guanine trinucleotide repeats in myotonic dystrophy (Hayashi et al). 1997;134:292-7

D**Death certificates**

Use and accuracy of state death certificates for classification of sudden cardiac deaths in high-risk populations (Every et al). 1997;134:1129-32

Deaths, sudden, cardiac

Use and accuracy of state death certificates for classification of sudden cardiac deaths in high-risk populations (Every et al). 1997;134:1129-32

Diabetes

Increased incidence of moderate stenosis among patients with diabetes: substrate for myocardial infarction? (Henry et al). 1997;134:1037-43

Diagnosis, cardiovascular

Angioscopic evaluation of angiographically complex coronary lesions (Alfonso et al). 1997;134:703-11

Diagnostic electrophysiology studies; see Electrophysiology**Diagnostic errors**

Mimics of Ebstein's anomaly (Ammash et al). 1997;134:508-13

Diagnostic imaging

Pediatric primary benign cardiac tumors: a 14-year review (Beghetti et al). 1997;134:1107-14

Diastole

Right and left ventricular diastolic function in patients with and without heart failure: effect of age, sex, heart rate, and respiration on Doppler-derived measurements (Yu and Sanderson). 1997;134:426-34

Dichloroacetate

Dichloroacetate as metabolic therapy for myocardial ischemia and failure (Bersin and Stacpoole). 1997;134:841-55

DIG; see Digitalis Investigation Group**Digitalis**

Digitalis increases brain natriuretic peptide in patients with severe congestive heart failure (Tsutamoto et al). 1997;134:910-6

Digitalis Investigation Group

Digitalis Investigation Group (DIG) trial: a stimulus for further research (Gheorghiade and Pitt). 1997;134:3-12

Digoxin

Digoxin Investigation Group (DIG) trial: a stimulus for further research (Gheorghiade and Pitt). 1997;134:3-12

Diltiazem

Long-term antianginal and antiischemic effects of mibefradil, the novel T-type calcium channel blocker: a multicenter, double-blind, placebo-controlled, randomized comparison with sustained-release diltiazem (Davies et al). 1997;134:220-8

Dipyridamole

Safety of early intravenous dipyridamole technetium 99m sestamibi SPECT myocardial perfusion imaging after uncomplicated first myocardial infarction (Heller et al). 1997;134:105-11

Disease-prone behavior; see Type A personality**Dissection**

Failure of intravascular ultrasound to predict dissection after balloon angioplasty by using plaque characteristics (van der Lugt et al). 1997;134:1075-81

Natural history and serial morphology of aortic intramural hematoma: a novel variant of aortic dissection (Vilacosta et al). 1997;134:495-507

Dobutamine

Dobutamine and nitroprusside infusion in patients with severe congestive heart failure: hemodynamic improvement by discordant effects on mitral regurgitation, left atrial function, and ventricular function (Capomolla et al). 1997;134:1089-98

Dobutamine stress echocardiography in the detection of coronary artery disease: importance of the pretest likelihood of disease (Hennessy et al). 1997;134:685-92

Effect of dobutamine-induced myocardial ischemia on Doppler echocardiography after myocardial infarction (Wang et al). 1997;134:1058-65

Low dose dobutamine echocardiography is more predictive of reversible dysfunction after acute myocardial infarction than resting single photon emission computed tomographic thallium-201 scintigraphy (Smart et al). 1997;134:822-34

Doppler guide wire; see Equipment and supplies**Drug combinations**

Is there a rationale for combining angiotensin-converting enzyme inhibitors and calcium antagonists in cardiovascular disease? (Ruschitzka and Lüscher). 1997;134:531-47

Treatment with verapamil and trandolapril in patients with congestive heart failure and angina pectoris or myocardial infarction (Hansen et al). 1997;134:548-52

Drug evaluation

Antiplatelet therapy: do the new platelet inhibitors add significantly to the clinical benefits of aspirin? (Théroutx). 1997;134:562-70

Digitalis Investigation Group (DIG) trial: a stimulus for further research (Gheorghiade and Pitt). 1997;134:3-12

Successors to heparin: new antithrombotic agents (Turpie). 1997;134:571-6

Ductus arteriosus, patent

Coil occlusion of patent ductus arteriosus with detachable coils (Akagi et al). 1997;134:538-43

E**Earthquake; see Natural disasters****Ebstein's anomaly**

Mimics of Ebstein's anomaly (Ammash et al). 1997;134:508-13

Echocardiography

Accuracy and cost-effectiveness of exercise echocardiography for detection of coronary artery disease in patients with mitral valve prolapse (Leung et al). 1997;134:1052-7

Dobutamine stress echocardiography in the detection of coronary artery disease: importance of the pretest likelihood of disease (Hennessy et al). 1997;134:685-92

Echocardiography can detect cloth cover tears in fully covered Starr-Edwards valves: a long-term clinical and echocardiographic study (Shapira et al). 1997;134:665-71

Heart rate variability in patients with hypertrophic cardiomyopathy: association with clinical and echocardiographic features (Bonaduce et al). 1997;134:165-72

Is left atrial appendage flow a predictor for outcome of cardioversion of nonvalvular atrial fibrillation? A transthoracic and transesophageal echocardiographic study (Pérez et al). 1997;134:745-51

Low dose dobutamine echocardiography is more predictive of

Echocardiography—cont'd

reversible dysfunction after acute myocardial infarction than resting single photon emission computed tomographic thallium-201 scintigraphy (Smart et al). 1997;134:822-34

Myocardial viability in patients with chronic coronary artery disease and previous myocardial infarction: comparison of myocardial contrast echocardiography and myocardial perfusion scintigraphy (Vernon et al). 1997;134:835-40

Relation of contrast echo intensity and flow velocity to the amplification of contrast opacification produced by intermittent ultrasound transmission (Ohmori et al). 1997;134:1066-74

Signal-averaged electrocardiography in patients with AL (primary) amyloidosis (Dubrey et al). 1997;134:994-1001

Two-dimensional echocardiographic assessment of the progression of aortic root size in 127 patients with chronic aortic regurgitation: role of the supraaortic ridge and relation to the progression of the lesion (Padial et al). 1997;134:814-21

Valvular perforation in left-sided infective endocarditis: a prospective echocardiographic evaluation and clinical outcome (De Castro et al). 1997;134:656-64

Echocardiography, Doppler

Aortic valve resistance in aortic stenosis: Doppler echocardiographic study and surgical correlation (Roger et al). 1997;134:924-9

Echocardiography Doppler in pulmonary embolism: right ventricular dysfunction as a predictor of mortality rate (Ribeiro et al). 1997;134:479-87

Effect of dobutamine-induced myocardial ischemia on Doppler echocardiography after myocardial infarction (Wang et al). 1997;134:1058-65

Right and left ventricular diastolic function in patients with and without heart failure: effect of age, sex, heart rate, and respiration on Doppler-derived measurements (Yu and Sanderson). 1997;134:426-34

Echocardiography, transesophageal

Is left atrial appendage flow a predictor for outcome of cardioversion of nonvalvular atrial fibrillation? A transthoracic and transesophageal echocardiographic study (Pérez et al). 1997;134:495-507

Natural history and serial morphology of aortic intramural hematoma: a novel variant of aortic dissection (Vilacosta et al). 1997;134:495-507

Valvular perforation in left-sided infective endocarditis: a prospective echocardiographic evaluation and clinical outcome (De Castro et al). 1997;134:656-64

Editorial

Editorial. 1997;134:1-2

Elderly; see Aged**Electric countershock**

Is left atrial appendage flow a predictor for outcome of cardioversion of nonvalvular atrial fibrillation? A transthoracic and transesophageal echocardiographic study (Pérez et al). 1997;134:495-507

Patient characteristics and underlying heart disease as predictors of recurrent atrial fibrillation after internal and external cardioversion in patients treated with oral sotalol (Alt et al). 1997;134:419-25

Electrocardiography

Accuracy of heart rate-adjusted ST segments in populations with and without posttest referral bias (Morise). 1997;134:647-55

Atrioventricular node reentrant tachycardia in patients with a long fast pathway effective refractory period: clinical features, electrophysiologic characteristics, and results of radiofrequency ablation (Lee et al). 1997;134:387-94

Automatic measurement of corrected QT interval in Holter

recordings: comparison of its dynamic behavior in patients after myocardial infarction with and without life-threatening arrhythmias (Homs et al). 1997;134:181-7

Baseline characteristics of patients in the Coronary Artery Bypass Graft (CABG) Patch Trial (Curtis et al). 1997;134:787-98

Comparison of teaching the basic electrocardiographic concept of frontal plane QRS axis using the classical versus the orderly electrocardiogram limb lead displays (Pahlm et al). 1997;134:1014-8

Effect of coronary angioplasty on QT dispersion (Kelly et al). 1997;134:399-405

The effect of lead selection on traditional and heart rate-adjusted ST segment analysis in the detection of coronary artery disease during exercise testing (Viik et al). 1997;134:488-94

Effects of β -adrenergic blockade on dispersion of ventricular repolarization in newborn infants with prolonged QT interval (Stramba-Badiale et al). 1997;134:406-10

Effects of upright posture on filtered QRS parameter of the signal-averaged electrocardiogram in healthy volunteers (Kautzner et al). 1997;134:1002-4

Evaluation of P wave signal-averaged electrocardiographic filtering and analysis methods (Ehlert et al). 1997;134:985-93

Evaluation of plasma natriuretic peptides as markers for left ventricular dysfunction (Muders et al). 1997;134:442-9

Frequency, duration, magnitude, and consequences of myocardial ischemia during intracoronary ultrasonography (Drew et al). 1997;134:474-8

Precordial QT dispersion and inducible ventricular tachycardia (Lee et al). 1997;134:1005-13

Signal-averaged electrocardiography in patients with AL (primary) amyloidosis (Dubrey et al). 1997;134:994-1001

Electrocardiography, ambulatory

Automatic measurement of corrected QT interval in Holter recordings: comparison of its dynamic behavior in patients after myocardial infarction with and without life-threatening arrhythmias (Homs et al). 1997;134:181-7

Passive head-up tilt and actively standing up produce similar overall changes in autonomic balance (Bloomfield et al). 1997;134:316-20

Electrodes, implanted

Effects of magnetic resonance imaging on cardiac pacemakers and electrodes (Achenbach et al). 1997;134:467-73

Electron beam tomography; see Tomography**Electrophysiology**

Atrioventricular node reentrant tachycardia in patients with a long fast pathway effective refractory period: clinical features, electrophysiologic characteristics, and results of radiofrequency ablation (Lee et al). 1997;134:387-94

Effect of electrophysiologic properties and location of manifest accessory pathways on local electrogram intervals at effective radiofrequency ablation sites (Vorperian et al). 1997;134:173-80

Effect of informed consent on anxiety in patients undergoing diagnostic electrophysiology studies (Goldberger et al). 1997;134:119-26

Incidence of cardiac sarcoidosis in Japanese patients with high-degree atrioventricular block (Yoshida et al). 1997;134:382-6

Session highlights from the American College of Cardiology Meeting: March 16-19, 1997 (Alexander et al). 1997;134:138-54

Emotional stress; see Stress, psychological**Enalapril**

Acute and long-term effects of the angiotensin-converting enzyme inhibitor, enalapril, on adrenergic activity and sensitivity during exercise in patients with left ventricular systolic dysfunction (Patten et al). 1997;134:37-43

Enalapril—cont'd

Effects of enalapril during continuous nitrate therapy: analysis of diameter of coronary arteries and platelet cyclic guanosine monophosphate (Watanabe et al). 1997;134:614-21

Endocardial pacemaker lead; see Pacemaker, artificial**Endocarditis, bacterial**

Valvular perforation in left-sided infective endocarditis: a prospective echocardiographic evaluation and clinical outcome (De Castro et al). 1997;134:656-64

Endothelium, vascular

Variations of segmental endothelium-dependent and endothelium-independent vasomotor tone after cardiac transplantation (qualitative changes in endothelial function) (Weis et al). 1997;134:306-15

Epoprostenol

A randomized controlled trial of epoprostenol therapy for severe congestive heart failure: the Flolan International Randomized Survival Trial (FIRST) (Califf et al). 1997;134:44-54

Equipment and supplies

Abrupt vessel closure: changing importance, management, and consequences (Bergelson et al). 1997;134:362-81

Assessment of oxygen uptake during the 6-minute walking test in patients with heart failure: preliminary experience with portable device (Faggiano et al). 1997;134:203-6

Correlations between coronary flow reserve measured with a Doppler guide wire and treadmill exercise testing (Schulman et al). 1997;134:99-104

Patient acceptance of reused angioplasty equipment (Vaitkus). 1997;134:127-30

Session highlights from the American College of Cardiology Meeting: March 16-19, 1997 (Alexander et al). 1997;134:138-54

Equipment failure

Initial experience with a high-impedance tined endocardial pacemaker lead: evidence for increased lead failure (Joglar et al). 1997;134:161-4

Essential hypertension; see Hypertension**Estrogen replacement therapy**

Effects of hormone-replacement therapy on hemostatic factors, lipid factors, and endothelial function in women undergoing surgical menopause: implications for prevention of atherosclerosis (Lip et al). 1997;134:764-71

Relation between hormone replacement therapy in women and coronary artery disease estimated by electron beam tomography (McLaughlin et al). 1997;134:1115-9

Evoked potentials

Long-term prognostic significance of ventricular late potentials after a first acute myocardial infarction (Zimmermann et al). 1997;134:1019-28

Signal-averaged electrocardiography in patients with AL (primary) amyloidosis (Dubrey et al). 1997;134:994-1001

Exercise-induced hypertension; see Hypertension**Exercise test**

Accuracy and cost-effectiveness of exercise echocardiography for detection of coronary artery disease in patients with mitral valve prolapse (Leung et al). 1997;134:1052-7

Accuracy of heart rate-adjusted ST segments in populations with and without posttest referral bias (Morise). 1997;134:647-55

Acute and long-term effects of the angiotensin-converting enzyme inhibitor, enalapril, on adrenergic activity and sensitivity during exercise in patients with left ventricular systolic dysfunction (Patten et al). 1997;134:37-43

An agreement approach to predict severe angiographic coronary artery disease with clinical and exercise test data (Do et al). 1997;134:672-9

Assessment of oxygen uptake during the 6-minute walking

test in patients with heart failure: preliminary experience with portable device (Faggiano et al). 1997;134:203-6

Correlations between coronary flow reserve measured with a Doppler guide wire and treadmill exercise testing (Schulman et al). 1997;134:99-104

The effect of lead selection on traditional and heart rate-adjusted ST segment analysis in the detection of coronary artery disease during exercise testing (Viik et al). 1997;134:488-94

Effects of amlodipine in patients with chronic heart failure (Walsh et al). 1997;134:872-8

Nitric oxide inhalation reduces pulmonary tidal volume during exercise in severe chronic heart failure (Bocchi et al). 1997;134:737-44

Nitric oxide production during exercise test in chronic heart failure (Adachi et al). 1997;134:196-202

Outcomes and cost implications of a clinical-based algorithm to guide the discriminate use of stress imaging before non-cardiac surgery (Rubin et al). 1997;134:83-92

Rise of nitric oxide in coronary vasomotion during handgrip exercise (Nishikawa et al). 1997;134:967-73

Sex and diagnostic evaluation of possible coronary artery disease after exercise treadmill testing at one academic teaching center (Lauer et al). 1997;134:807-13

Short-term reproducibility of cardiopulmonary measurements during exercise testing in patients with severe chronic heart failure (Meyer et al). 1997;134:20-6

Exertion

Triggering and the pathophysiology of acute coronary syndromes (Toffler). 1997;134:555-61

F**Fibrinolysis**

Gemfibrozil treatment of hypertriglyceridemia: improvement on fibrinolysis without change of insulin resistance (Jeng et al). 1997;134:565-71

Fibrinolytic agents

The evolution of antithrombotic therapy in coronary stenting (Schatz). 1997;134:S77-9

Introduction (Califf). 1997;134:S53-4

Issues of cost-effectiveness in the use of antithrombotic therapy for ischemic heart disease (Califf and Mark). 1997;134:S87-95

Rationale for low-molecular weight heparin in coronary stenting (Zidar). 1997;134:S80-6

Successors to heparin: new antithrombotic agents (Turpie). 1997;134:S71-6

Fibroblast growth factor, acidic

Increased accumulation of acidic fibroblast growth factor in left ventricular myocytes of patients with idiopathic cardiomyopathy (Tomita et al). 1997;134:779-86

Fibromuscular dysplasia

Fibromuscular dysplasia of small coronary arteries and fibrosis in the basilar ventricular septum in mitral valve prolapse (Buske et al). 1997;134:282-91

Fibrosis

Fibromuscular dysplasia of small coronary arteries and fibrosis in the basilar ventricular septum in mitral valve prolapse (Buske et al). 1997;134:282-91

Flolan International Randomized Survival Trial

A randomized controlled trial of epoprostenol therapy for severe congestive heart failure: the Flolan International Randomized Survival Trial (FIRST) (Califf et al). 1997;134:44-54

G**Gemfibrozil**

Gemfibrozil treatment of hypertriglyceridemia: improvement on fibrinolysis without change of insulin resistance (Jeng et al). 1997;134:565-71

Gender; see Sex**Genes**

Lack of association between variants of the angiotensinogen gene and the risk of coronary artery disease in middle-aged Japanese men (Ichihara et al). 1997;134:260-5

Renin-angiotensin system: genes to bedside (Malik et al). 1997;134:514-26

Genetic engineering

Molecular and cellular prospects for repair, augmentation, and replacement of the failing heart (Mayer and Rubin). 1997;134:577-86

Graft occlusion, vascular

Coronary artery stenting in cardiac allograft vascular disease (Heublein et al). 1997;134:930-8

Guanine trinucleotide

Cardiac abnormalities and cytosine-thymine-guanine trinucleotide repeats in myotonic dystrophy (Hayashi et al). 1997;134:292-7

Guanosine cyclic monophosphate

Effects of enalapril during continuous nitrate therapy: analysis of diameter of coronary arteries and platelet cyclic guanosine monophosphate (Watanabe et al). 1997;134:614-21

Guiding catheter; see Equipment and supplies**H****Handgrip exercise test; see Exercise test****Hanshin-Awaji earthquake; see Natural disasters****Health policy**

Public release of cardiac surgery outcomes data in New York: What do New York state cardiologists think of it? (Hannan et al). 1997;134:1120-8

Health services access

Treatment after myocardial infarction: changes in the last decade—a look back (Chamberlain). 1997;134:55-8

Health surveys

Health after coronary stenting or balloon angioplasty: results from the Stent Restenosis Study (Krumholz et al). 1997;134:337-44

Healthy volunteers; see Human experimentation**Heart arrest**

Concentrations of serum interleukin-8 after successful cardiopulmonary resuscitation in patients with cardiopulmonary arrest (Shyu et al). 1997;134:551-6

Heart atrium, blood supply

Is left atrial appendage flow a predictor for outcome of cardioversion of nonvalvular atrial fibrillation? A transthoracic and transesophageal echocardiographic study (Pérez et al). 1997;134:745-51

Heart block

Incidence of cardiac sarcoidosis in Japanese patients with high-degree atrioventricular block (Yoshida et al). 1997;134:382-6

Heart catheterization

Aortic valve resistance in aortic stenosis: Doppler echocardiographic study and surgical correlation (Roger et al). 1997;134:924-9

Comparison of 6F with 7F and 8F guiding catheters for elective coronary angioplasty: results of a prospective, multicenter, randomized trial (Metz et al). 1997;134:131-7

Directional coronary atherectomy for the treatment of acute myocardial infarction (Kurusu et al). 1997;134:345-50

Evaluation of plasma natriuretic peptides as markers for left ventricular dysfunction (Muders et al). 1997;134:442-9

Heart conduction system

Atrioventricular node reentrant tachycardia in patients with a long fast pathway effective refractory period: clinical fea-

tures, electrophysiologic characteristics, and results of radiofrequency ablation (Lee et al). 1997;134:387-94

Differential effects of adenosine on antegrade and retrograde fast pathway conduction in atrioventricular nodal reentry (Lee et al). 1997;134:799-806

Effect of electrophysiologic properties and location of manifest accessory pathways on local electrogram intervals at effective radiofrequency ablation sites (Vorperian et al). 1997;134:173-80

Heart defects, congenital

A novel prognostic scoring system to predict late outcome after percutaneous balloon valvotomy in patients with severe mitral stenosis (Zhang et al). 1997;134:772-8

Balloon angioplasty of native aortic coarctation in infants 3 months of age and younger (Park et al). 1997;134:917-23

Cardiac abnormalities and cytosine-thymine-guanine trinucleotide repeats in myotonic dystrophy (Hayashi et al). 1997;134:292-7

Coil occlusion of patent ductus arteriosus with detachable coils (Akagi et al). 1997;134:538-43

Fibromuscular dysplasia of small coronary arteries and fibrosis in the basilar ventricular septum in mitral valve prolapse (Buske et al). 1997;134:282-91

Mimics of Ebstein's anomaly (Ammash et al). 1997;134:508-13

Prominent venous valves in hypoplastic right hearts (Schutte et al). 1997;134:527-31

Pulmonary hypertension in patients with thalassemia major (Du et al). 1997;134:532-7

Renin-angiotensin system: genes to bedside (Malik et al). 1997;134:514-26

Heart diseases

Comparison of teaching the basic electrocardiographic concept of frontal plane QRS axis using the classical versus the orderly electrocardiogram limb lead displays (Pahlm et al). 1997;134:1014-8

Insulin resistance in cardiac syndrome X and variant angina: influence of physical capacity and circulating lipids (Bøtker et al). 1997;134:229-37

Heart failure, congestive

Assessment of oxygen uptake during the 6-minute walking test in patients with heart failure: preliminary experience with portable device (Faggiano et al). 1997;134:203-6

Comparison between iodine 123 metaiodobenzyl-guanidine scintigraphy and heart rate variability for the assessment of cardiac sympathetic activity in mild to moderate heart failure (Somsen et al). 1997;134:456-8

Comparison of the degree of hemodynamic tolerance during intravenous infusion of nitroglycerin versus nicorandil in patients with congestive heart failure (Larsen et al). 1997;134:435-41

Congestive heart failure in patients with coronary artery disease: the gender paradox (Mendes et al). 1997;134:207-12

Continuous home ambulatory intravenous inotropic drug therapy in severe heart failure: safety and cost efficacy (Sindone et al). 1997;134:889-900

Depressed arterial baroreflex sensitivity and not reduced heart rate variability identifies patients with chronic heart failure and nonsustained ventricular tachycardia: the effect of high ventricular filling pressure (Mortara et al). 1997;134:879-88

Dichloroacetate as metabolic therapy for myocardial ischemia and failure (Bersin and Stacpoole). 1997;134:841-55

Digitalis increases brain natriuretic peptide in patients with severe congestive heart failure (Tsutamoto et al). 1997;134:910-6

Digitalis Investigation Group (DIG) trial: a stimulus for further research (Gheorghiade and Pitt). 1997;134:3-12

Dobutamine and nitroprusside infusion in patients with severe congestive heart failure: hemodynamic improvement by discordant effects on mitral regurgitation, left atrial func-

Heart failure, congestive—cont'd

- tion, and ventricular function (Capomolla et al). 1997;134:1089-98
- Effect of amlodipine on norepinephrine kinetics and baroreflex function in patients with congestive heart failure (Goldsmith). 1997;134:13-9
- Effects of amlodipine in patients with chronic heart failure (Walsh et al). 1997;134:872-8
- Effects of warfarin on markers of hypercoagulability in patients with heart failure (Jafri et al). 1997;134:27-36
- Heart failure between 1986 and 1994: temporal trends in drug-prescribing practices, hospital readmissions, and survival at an academic medical center (McDermott et al). 1997;134:901-9
- Molecular and cellular prospects for repair, augmentation, and replacement of the failing heart (Mayer and Rubin). 1997;134:577-86
- Myocardial damage does not occur in untreated hyperthyroidism unless associated with congestive heart failure (Martí et al). 1997;134:1133-7
- Nitric oxide inhalation reduces pulmonary tidal volume during exercise in severe chronic heart failure (Bocchi et al). 1997;134:737-44
- Nitric oxide production during exercise test in chronic heart failure (Adachi et al). 1997;134:196-202
- A randomized controlled trial of epoprostenol therapy for severe congestive heart failure: the Flolan International Randomized Survival Trial (FIRST) (Califf et al). 1997;134:44-54
- Session highlights from the American College of Cardiology Meeting: March 16-19, 1997 (Alexander et al). 1997;134:138-54
- Short-term reproducibility of cardiopulmonary measurements during exercise testing in patients with severe chronic heart failure (Meyer et al). 1997;134:20-6
- Systolic function, readmission rates, and survival among consecutively hospitalized patients with congestive heart failure (McDermott et al). 1997;134:728-36
- Treatment with verapamil and trandolapril in patients with congestive heart failure and angina pectoris or myocardial infarction (Hansen et al). 1997;134:548-52
- Use of angiotensin-converting enzyme inhibitors in heart failure with preserved left ventricular systolic function (Philbin and Rocco). 1997;134:188-95
- Heart murmurs**
 - Classification of systolic murmurs: still in search of consensus (Tavel). 1997;134:330-6 (Curriculum cardiol.)
- Heart neoplasms**
 - Pediatric primary benign cardiac tumors: a 14-year review (Beghetti et al). 1997;134:1107-14
- Heart rate**
 - Accuracy of heart rate—adjusted ST segments in populations with and without posttest referral bias (Morise). 1997;134:647-55
 - Comparison between iodine 123 metaiodobenzyl-guanidine scintigraphy and heart rate variability for the assessment of cardiac sympathetic activity in mild to moderate heart failure (Somsen et al). 1997;134:456-8
 - Depressed arterial baroreflex sensitivity and not reduced heart rate variability identifies patients with chronic heart failure and nonsustained ventricular tachycardia: the effect of high ventricular filling pressure (Mortara et al). 1997;134:879-88
 - Effect of carteolol on silent myocardial ischemia, variability in heart rate, and the pain-modulating system (Takase et al). 1997;134:945-54
 - The effect of lead selection on traditional and heart rate—adjusted ST segment analysis in the detection of coro-

- nary artery disease during exercise testing (Viik et al). 1997;134:488-94
- Heart rate variability in patients with hypertrophic cardiomyopathy: association with clinical and echocardiographic features (Bonaduce et al). 1997;134:165-72
- Right and left ventricular diastolic function in patients with and without heart failure: effect of age, sex, heart rate, and respiration on Doppler-derived measurements (Yu and Sanderson). 1997;134:426-34
- Safety of heart rate—lowering calcium antagonists: lessons from controlled trials (Messerli and Michalewicz). 1997;134:S21-4
- Stability over time of circadian rhythm of variability of heart rate in patients with stable coronary artery disease (Hayano et al). 1997;134:411-8

Heart septum

- Fibromuscular dysplasia of small coronary arteries and fibrosis in the basilar ventricular septum in mitral valve prolapse (Buske et al). 1997;134:282-91

Heart transplantation

- Variations of segmental endothelium-dependent and endothelium-independent vasomotor tone after cardiac transplantation (qualitative changes in endothelial function) (Weis et al). 1997;134:306-15

Heart valve prosthesis

- Echocardiography can detect cloth cover tears in fully covered Starr-Edwards valves: a long-term clinical and echocardiographic study (Shapira et al). 1997;134:665-71

Heart valves

- Valvular perforation in left-sided infective endocarditis: a prospective echocardiographic evaluation and clinical outcome (De Castro et al). 1997;134:656-64

Heart ventricle

- Acute and long-term effects of the angiotensin-converting enzyme inhibitor, enalapril, on adrenergic activity and sensitivity during exercise in patients with left ventricular systolic dysfunction (Patten et al). 1997;134:37-43
- Prominent venous valves in hypoplastic right hearts (Schutte et al). 1997;134:527-31

Hematoma

- Natural history and serial morphology of aortic intramural hematoma: a novel variant of aortic dissection (Vilacosta et al). 1997;134:495-507

Hemodynamics

- Comparison of the degree of hemodynamic tolerance during intravenous infusion of nitroglycerin versus nicorandil in patients with congestive heart failure (Larsen et al). 1997;134:435-41

Hemorrhage

- Increasing age is a major risk factor for hemorrhagic complications after pulmonary embolism thrombolysis (Mikkola et al). 1997;134:69-72

Hemostatics

- Association of hemostatic factors with peripheral vascular disease (Philipp et al). 1997;134:978-84

Heparin

- Laser balloon angioplasty combined with local intracoronary heparin therapy: immediate and short-term follow-up results (Glazier et al). 1997;134:266-73
- Rationale for low-molecular weight heparin in coronary stenting (Zidar). 1997;134:S80-6
- Successors to heparin: new antithrombotic agents (Turpie). 1997;134:S71-6

Holter recordings; see Electrocardiography, ambulatory**Home care services**

- Continuous home ambulatory intravenous inotropic drug therapy in severe heart failure: safety and cost efficacy (Sindone et al). 1997;134:889-900

Hormone replacement therapy; see Estrogen replacement therapy**Hospital readmission; see Patient readmission****"HOT MI" Pilot Study**

Hyperbaric oxygen and thrombolysis in myocardial infarction: the "HOT MI" Pilot Study (Shandling et al). 1997;134:544-50

Human experimentation

Effects of upright posture on filtered QRS parameter of the signal-averaged electrocardiogram in healthy volunteers (Kautzner et al). 1997;134:1002-4

Hyperbaric oxygenation

Hyperbaric oxygen and thrombolysis in myocardial infarction: the "HOT MI" Pilot Study (Shandling et al). 1997;134:544-50

Hypercoagulation; see Blood coagulation**Hypertension**

Enhanced resting left ventricular filling in patients with successful coarctation repair and exercise-induced hypertension (Tantengco et al). 1997;134:1082-8

Long-term effects of angiotensin-converting enzyme inhibitors and calcium antagonists on the right and left ventricles in essential hypertension (Lombardo et al). 1997;134:557-64

Mibefradil, a novel calcium antagonist, in elderly patients with hypertension: favorable hemodynamics and pharmacokinetics (Bursztyn et al). 1997;134:238-47

Hypertension, pulmonary

Pulmonary hypertension in patients with thalassemia major (Du et al). 1997;134:532-7

Hyperthyroidism

Myocardial damage does not occur in untreated hyperthyroidism unless associated with congestive heart failure (Martí et al). 1997;134:1133-7

Hypertriglyceridemia

Gemfibrozil treatment of hypertriglyceridemia: improvement on fibrinolysis without change of insulin resistance (Jeng et al). 1997;134:565-71

Hypoplastic right hearts; see Heart defects, congenital**I****Imidapril; see Angiotensin-converting enzyme inhibitors****Impedance cardiography; see Cardiography, impedance****Infant, newborn**

Angiographic study of aorta, coronary arteries, and left ventricular performance after neonatal arterial switch operation for simple transposition of the great arteries (Massin et al). 1997;134:298-305

Effects of β -adrenergic blockade on dispersion of ventricular repolarization in newborn infants with prolonged QT interval (Stramba-Badiale et al). 1997;134:406-10

Infective endocarditis; see Endocarditis, bacterial**Informed consent**

Effect of informed consent on anxiety in patients undergoing diagnostic electrophysiology studies (Goldberger et al). 1997;134:119-26

Infusions, intravenous

Comparison of the degree of hemodynamic tolerance during intravenous infusion of nitroglycerin versus nicorandil in patients with congestive heart failure (Larsen et al). 1997;134:435-41

Inotropic drug therapy; see Cardiotonic agents**Insulin**

Insulin resistance in cardiac syndrome X and variant angina: influence of physical capacity and circulating lipids (Bøtker et al). 1997;134:229-37

Insulin resistance

Gemfibrozil treatment of hypertriglyceridemia: improvement on fibrinolysis without change of insulin resistance (Jeng et al). 1997;134:565-71

Interleukin-8

Concentrations of serum interleukin-8 after successful cardiopulmonary resuscitation in patients with cardiopulmonary arrest (Shyu et al). 1997;134:551-6

Intracoronary ultrasonography; see Ultrasonography**Intramural hematoma; see Hematoma****Intravascular ultrasound; see Ultrasonography****Intravenous infusions; see Infusions, intravenous****Iodine**

Comparison between iodine 123 metaiodobenzyl-guanidine scintigraphy and heart rate variability for the assessment of cardiac sympathetic activity in mild to moderate heart failure (Somsen et al). 1997;134:456-8

Iodine 123 metaiodobenzylguanidine myocardial scintigraphy; see Radionuclide imaging**Ischemia**

Dichloroacetate as metabolic therapy for myocardial ischemia and failure (Bersin and Stacpoole). 1997;134:841-55

Effect of carteolol on silent myocardial ischemia, variability in heart rate, and the pain-modulating system (Takase et al). 1997;134:945-54

Effect of dobutamine-induced myocardial ischemia on Doppler echocardiography after myocardial infarction (Wang et al). 1997;134:1058-65

Frequency, duration, magnitude, and consequences of myocardial ischemia during intracoronary ultrasonography (Drew et al). 1997;134:474-8

Long-term antianginal and antiischemic effects of mibefradil, the novel T-type calcium channel blocker: a multicenter, double-blind, placebo-controlled, randomized comparison with sustained-release diltiazem (Davies et al). 1997;134:220-8

Session highlights from the American College of Cardiology Meeting: March 16-19, 1997 (Alexander et al). 1997;134:138-54

Ischemic heart disease; see Coronary disease**L****Laser balloon angioplasty; see Angioplasty, laser****Lead failure; see Equipment failure****Left ventricular function; see Ventricular function****Letters; see Correspondence****Life style**

Coronary disease-prone behavior among Japanese men: job-centered lifestyle and social dominance (Hayano et al). 1997;134:1029-36

Limb lead displays; see Electrocardiography**Lipid peroxides**

Elevated plasma lipid hydroperoxides in patients with coronary artery disease (Kovacs et al). 1997;134:572-6

Lipids

Insulin resistance in cardiac syndrome X and variant angina: influence of physical capacity and circulating lipids (Bøtker et al). 1997;134:229-37

Long QT syndrome

Effects of β -adrenergic blockade on dispersion of ventricular repolarization in newborn infants with prolonged QT interval (Stramba-Badiale et al). 1997;134:406-10

Low-molecular weight heparin; see Heparin**M****Magnetic resonance imaging**

Effects of magnetic resonance imaging on cardiac pacemakers and electrodes (Achenbach et al). 1997;134:467-73

Malignant carcinoid disease; see Carcinoid heart disease**Manuscripts, medical**

Lessons for the editors (Califf and Mark). 1997;134:1-2 (Editorial)

Men

Trends in success rate after percutaneous transluminal coronary angioplasty in men and women with coronary artery disease (Hussain et al). 1997;134:719-27

Menopause, premature

Effects of hormone-replacement therapy on hemostatic factors, lipid factors, and endothelial function in women undergoing surgical menopause: implications for prevention of atherosclerosis (Lip et al). 1997;134:764-71

Metaiodobenzyl-guanidine scintigraphy; see Radionuclide imaging**Mibefradil; see Calcium channel blockers****Mitral valve insufficiency**

Dobutamine and nitroprusside infusion in patients with severe congestive heart failure: hemodynamic improvement by discordant effects on mitral regurgitation, left atrial function, and ventricular function (Capomolla et al). 1997;134:1089-98

Mitral valve prolapse

Accuracy and cost-effectiveness of exercise echocardiography for detection of coronary artery disease in patients with mitral valve prolapse (Leung et al). 1997;134:1052-7

Fibromuscular dysplasia of small coronary arteries and fibrosis in the basilar ventricular septum in mitral valve prolapse (Buske et al). 1997;134:282-91

Mitral valve stenosis

A novel prognostic scoring system to predict late outcome after percutaneous balloon valvotomy in patients with severe mitral stenosis (Zhang et al). 1997;134:772-8

Models, theoretical

Relation of contrast echo intensity and flow velocity to the amplification of contrast opacification produced by intermittent ultrasound transmission (Ohmori et al). 1997;134:1066-74

Morbidity

Blood pressure and cardiovascular morbidity and mortality rates in the elderly (Kannel et al). 1997;134:758-63

Mortality

Blood pressure and cardiovascular morbidity and mortality rates in the elderly (Kannel et al). 1997;134:758-63

Echocardiography Doppler in pulmonary embolism: right ventricular dysfunction as a predictor of mortality rate (Ribeiro et al). 1997;134:479-87

Effect of β -adrenergic blocking agents on mortality rate in patients not revascularized after myocardial infarction: data from a large HMO (Barron et al). 1997;134:608-13

Myocardial diseases

Increased accumulation of acidic fibroblast growth factor in left ventricular myocytes of patients with idiopathic cardiomyopathy (Tomita et al). 1997;134:779-86

Myocardial infarction, complications

Effect of dobutamine-induced myocardial ischemia on Doppler echocardiography after myocardial infarction (Wang et al). 1997;134:1058-65

Myocardial infarction, diagnosis

Automatic measurement of corrected QT interval in Holter recordings: comparison of its dynamic behavior in patients after myocardial infarction with and without life-threatening arrhythmias (Homs et al). 1997;134:181-7

Clinical implications of cigarette smoking in acute myocardial infarction: acute angiographic findings and long-term prognosis (Ishihara et al). 1997;134:955-60

Long-term prognostic significance of ventricular late potentials after a first acute myocardial infarction (Zimmermann et al). 1997;134:1019-28

Low dose dobutamine echocardiography is more predictive of reversible dysfunction after acute myocardial infarction than resting single photon emission computed tomographic thallium-201 scintigraphy (Smart et al). 1997;134:822-34

Safety of early intravenous dipyridamole technetium 99m sestamibi SPECT myocardial perfusion imaging after uncomplicated first myocardial infarction (Heller et al). 1997;134:105-11

Myocardial infarction, drug therapy

Directional coronary atherectomy for the treatment of acute myocardial infarction (Kurisu et al). 1997;134:345-50

Early behavior of biochemical markers in patients with Thrombolysis in Myocardial Infarction grade 2 flow in the infarct artery as opposed to other flow grades after intravenous thrombolysis for acute myocardial infarction (Laperche et al). 1997;134:1044-51

Effect of β -adrenergic blocking agents on mortality rate in patients not revascularized after myocardial infarction: data from a large HMO (Barron et al). 1997;134:608-13

The effects of the angiotensin-converting enzyme inhibitor imidapril on plasma plasminogen activator inhibitor activity in patients with acute myocardial infarction (Oshima et al). 1997;134:961-6

Hyperbaric oxygen and thrombolysis in myocardial infarction: the "HOT MI" Pilot Study (Shandling et al). 1997;134:544-50

Is there a rationale for combining angiotensin-converting enzyme inhibitors and calcium antagonists in cardiovascular disease? (Ruschitzka and Lüscher). 1997;134:S31-47

Myoglobin, creatine kinase MB, and cardiac troponin-I to assess reperfusion after thrombolysis for acute myocardial infarction: results from TIMI 10A (Tanasijevic et al). 1997;134:622-30

The place of angiotensin-converting enzyme inhibition after acute myocardial infarction (Torp-Pedersen et al). 1997;134:S25-30

Professor Peter Sleight's reflections on the use of β -blocking agents after myocardial infarction (Sleight). 1997;134:S15-20

Prognostic value of clinical markers of reperfusion in patients with acute myocardial infarction treated by thrombolytic therapy (Iparraguirre et al). 1997;134:631-8

Randomized coronary patency trial of double-bolus recombinant staphylokinase versus front-loaded alteplase in acute myocardial infarction (Vanderschueren et al). 1997;134:213-9

Relation between injections before 90-minute angiography and coronary patency: results of the Thrombolysis in Myocardial Infarction 4 Trial (Gibson et al). 1997;134:351-4

Safety of heart rate-lowering calcium antagonists: lessons from controlled trials (Messerli and Michalewicz). 1997;134:S21-4

Significance of the Thrombolysis in Myocardial Infarction scoring system in assessing infarct-related artery reperfusion and mortality rates after acute myocardial infarction (Fath-Ordoubadi et al). 1997;134:62-8

Treatment of acute myocardial infarction today (Maggioni et al). 1997;134:S9-14

Treatment with verapamil and trandolapril in patients with congestive heart failure and angina pectoris or myocardial infarction (Hansen et al). 1997;134:S48-52

Myocardial infarction, epidemiology

Changing myocardial infarction population characteristics: reasons and implications (Pepine). 1997;134:S1-4

Hanshin-Awaji earthquake as a trigger for acute myocardial infarction (Suzuki et al). 1997;134:974-7

Increased incidence of moderate stenosis among patients with diabetes: Substrate for myocardial infarction? (Henry et al). 1997;134:1037-43

Myocardial infarction, mortality

Significance of the Thrombolysis in Myocardial Infarction scoring system in assessing infarct-related artery reperfusion and mortality rates after acute myocardial infarction (Fath-Ordoubadi et al). 1997;134:62-8

Myocardial infarction, physiopathology

Increased plasma tissue factor levels in acute myocardial infarction (Suefuji et al). 1997;134:253-9

Myocardial infarction, prevention and control

Treatment after myocardial infarction: changes in the last decade—a look back (Chamberlain). 1997;134:S5-8

Myocardial infarction, therapy

Conservative management of patients with acute myocardial infarction and spontaneous acute patency of the infarct-related artery (Steg et al). 1997;134:248-52

Directional coronary atherectomy for the treatment of acute myocardial infarction (Kurusu et al). 1997;134:345-50

Noninvasive prediction of residual blood flow within the risk area during acute myocardial infarction: a multicenter validation study of patients undergoing direct coronary angioplasty (Chareonthaitawee et al). 1997;134:639-46

Treatment of acute myocardial infarction today (Maggioni et al). 1997;134:S9-14

Myocardial ischemia; see Ischemia**Myocardial revascularization**

Refractory angina pectoris in end-stage coronary artery disease: evolving therapeutic concepts (Schoebel et al). 1997;134:587-602

Myocardium, blood supply

Noninvasive prediction of residual blood flow within the risk area during acute myocardial infarction: a multicenter validation study of patients undergoing direct coronary angioplasty (Chareonthaitawee et al). 1997;134:639-46

Myocytes; see Cells**Myoglobin**

Myoglobin, creatine kinase MB, and cardiac troponin-1 to assess reperfusion after thrombolysis for acute myocardial infarction: results from TIMI 10A (Tanasijevic et al). 1997;134:622-30

Myotonia atrophica

Cardiac abnormalities and cytosine-thymine-guanine trinucleotide repeats in myotonic dystrophy (Hayashi et al). 1997;134:292-7

Myotonic dystrophy; see Myotonia atrophica**N****Natriuretic hormone**

Digitalis increases brain natriuretic peptide in patients with severe congestive heart failure (Tsutamoto et al). 1997;134:910-6

Natural disasters

Hanshin-Awaji earthquake as a trigger for acute myocardial infarction (Suzuki et al). 1997;134:974-7

Neoplasms

Attenuation over 24 hours of the efficacy of thrombolysis of pulmonary embolism among patients with cancer (Mikkola et al). 1997;134:603-7

Nicorandil

Comparison of the degree of hemodynamic tolerance during intravenous infusion of nitroglycerin versus nicorandil in patients with congestive heart failure (Larsen et al). 1997;134:435-41

Nitrates

Effects of enalapril during continuous nitrate therapy: analysis of diameter of coronary arteries and platelet cyclic guanosine monophosphate (Watanabe et al). 1997;134:614-21

Nitric oxide

Nitric oxide inhalation reduces pulmonary tidal volume during exercise in severe chronic heart failure (Bocchi et al). 1997;134:737-44

Nitric oxide production during exercise test in chronic heart failure (Adachi et al). 1997;134:196-202

Rise of nitric oxide in coronary vasomotion during handgrip exercise (Nishikawa et al). 1997;134:967-73

Nitroglycerin

Comparison of the degree of hemodynamic tolerance during intravenous infusion of nitroglycerin versus nicorandil in patients with congestive heart failure (Larsen et al). 1997;134:435-41

Nitroprusside

Dobutamine and nitroprusside infusion in patients with severe congestive heart failure: hemodynamic improvement by discordant effects on mitral regurgitation, left atrial function, and ventricular function (Capomolla et al). 1997;134:1089-98

Noncardiac surgery; see Surgery**Norepinephrine**

Effect of amlodipine on norepinephrine kinetics and baroreflex function in patients with congestive heart failure (Goldsmith). 1997;134:13-9

O**Outcome assessment (health care)**

Public release of cardiac surgery outcomes data in New York: What do New York state cardiologists think of it? (Hannan et al). 1997;134:1120-8

Oxygen

Assessment of oxygen uptake during the 6-minute walking test in patients with heart failure: preliminary experience with portable device (Faggiano et al). 1997;134:203-6

P**Pacemaker, artificial**

Effects of magnetic resonance imaging on cardiac pacemakers and electrodes (Achenbach et al). 1997;134:467-73

Initial experience with a high-impedance tined endocardial pacemaker lead: evidence for increased lead failure (Joglar et al). 1997;134:161-4

Pain

Effect of carteolol on silent myocardial ischemia, variability in heart rate, and the pain-modulating system (Takase et al). 1997;134:945-54

Palmaz-Schatz stent; see Stents**Patent ductus arteriosus; see Ductus arteriosus, patent****Patient acceptance of health care**

Patient acceptance of reused angioplasty equipment (Vaitkus). 1997;134:127-30

Patient care management

The place of angiotensin-converting enzyme inhibition after acute myocardial infarction (Torp-Pedersen et al). 1997;134:S25-30

Professor Peter Sleight's reflections on the use of β -blocking agents after myocardial infarction (Sleight). 1997;134:S15-20

Treatment after myocardial infarction: changes in the last decade—a look back (Chamberlain). 1997;134:S5-8

Patient readmission

Heart failure between 1986 and 1994: temporal trends in drug-prescribing practices, hospital readmissions, and survival at

Patient readmission—cont'd

an academic medical center (McDermott et al). 1997;134:901-9

Systolic function, readmission rates, and survival among consecutively hospitalized patients with congestive heart failure (McDermott et al). 1997;134:728-36

Peptides

Evaluation of plasma natriuretic peptides as markers for left ventricular dysfunction (Muders et al). 1997;134:442-9

Percutaneous balloon valvotomy; see Balloon dilatation**Perfusion**

Safety of early intravenous dipyridamole technetium 99m sestamibi SPECT myocardial perfusion imaging after uncomplicated first myocardial infarction (Heller et al). 1997;134:105-11

Pharmacokinetics

Effect of amlodipine on norepinephrine kinetics and baroreflex function in patients with congestive heart failure (Goldsmith). 1997;134:13-9

Plasma

The effects of the angiotensin-converting enzyme inhibitor imidapril on plasma plasminogen activator inhibitor activity in patients with acute myocardial infarction (Oshima et al). 1997;134:961-6

Elevated plasma lipid hydroperoxides in patients with coronary artery disease (Kovacs et al). 1997;134:572-6

Increased plasma tissue factor levels in acute myocardial infarction (Suefuji et al). 1997;134:253-9

Plasma natriuretic peptides; see Peptides**Plasminogen inactivators**

The effects of the angiotensin-converting enzyme inhibitor imidapril on plasma plasminogen activator inhibitor activity in patients with acute myocardial infarction (Oshima et al). 1997;134:961-6

Platelet aggregation inhibitors

Antiplatelet therapy: do the new platelet inhibitors add significantly to the clinical benefits of aspirin? (Théroneux). 1997;134:S62-70

Introduction (Califf). 1997;134:S53-4

Posttreatment IntraCoronary Transluminal Ultrasound Result Evaluation study

Arterial remodeling after balloon angioplasty of the coronary artery: an intravascular ultrasound study (Pasterkamp et al). 1997;134:680-4

Posture

Effects of upright posture on filtered QRS parameter of the signal-averaged electrocardiogram in healthy volunteers (Kautzner et al). 1997;134:1002-4

Precordial QT dispersion; see Electrocardiography**Preoperative care**

Expert opinion regarding indications for coronary angiography before noncardiac surgery (Cohen and Eagle). 1997;134:321-9

Progress in cardiology

Progress in cardiology. 1997;134:577-86

Prosthesis failure

Echocardiography can detect cloth cover tears in fully covered Starr-Edwards valves: a long-term clinical and echocardiographic study (Shapira et al). 1997;134:665-71

Publishing

Lessons for the editors (Califf and Mark). 1997;134:1-2 (Editorial)

Pulmonary embolism

Attenuation over 24 hours of the efficacy of thrombolysis of pulmonary embolism among patients with cancer (Mikkola et al). 1997;134:603-7

Echocardiography Doppler in pulmonary embolism: right ven-

tricular dysfunction as a predictor of mortality rate (Ribeiro et al). 1997;134:479-87

Increasing age is a major risk factor for hemorrhagic complications after pulmonary embolism thrombolysis (Mikkola et al). 1997;134:69-72

Pulmonary hypertension; see Hypertension, pulmonary**Pulmonary tidal volume; see Tidal volume****Pulmonary wedge pressure**

Prediction of pulmonary capillary wedge pressure and assessment of stroke volume by noninvasive impedance cardiography (Wolter et al). 1997;134:450-5

Q**QRS; see Electrocardiography****QT interval; see Electrocardiography****R****Radiofrequency ablation; see Catheter ablation****Radionuclide imaging**

Comparison between iodine 123 metaiodobenzylguanidine scintigraphy and heart rate variability for the assessment of cardiac sympathetic activity in mild to moderate heart failure (Somsen et al). 1997;134:456-8

Long-lasting abnormalities in cardiac sympathetic nervous system in patients with coronary spastic angina: quantitative analysis with iodine 123 metaiodobenzylguanidine myocardial scintigraphy (Inobe et al). 1997;134:112-8

Myocardial viability in patients with chronic coronary artery disease and previous myocardial infarction: comparison of myocardial contrast echocardiography and myocardial perfusion scintigraphy (Vernon et al). 1997;134:835-40

Receptors, sensory

Depressed arterial baroreflex sensitivity and not reduced heart rate variability identifies patients with chronic heart failure and nonsustained ventricular tachycardia: the effect of high ventricular filling pressure (Mortara et al). 1997;134:879-88

Referral and consultation

Public release of cardiac surgery outcomes data in New York: What do New York state cardiologists think of it? (Hannan et al). 1997;134:1120-8

Refractory period

Atrioventricular node reentrant tachycardia in patients with a long fast pathway effective refractory period: clinical features, electrophysiologic characteristics, and results of radiofrequency ablation (Lee et al). 1997;134:387-94

Regression analysis

Evaluation of P wave signal-averaged electrocardiographic filtering and analysis methods (Ehlert et al). 1997;134:985-93

Renin-angiotensin system

Renin-angiotensin system: genes to bedside (Malik et al). 1997;134:514-26

Reperfusion

Myoglobin, creatine kinase MB, and cardiac troponin-1 to assess reperfusion after thrombolysis for acute myocardial infarction: results from TIMI 10A (Tanasijevic et al). 1997;134:622-30

Prognostic value of clinical markers of reperfusion in patients with acute myocardial infarction treated by thrombolytic therapy (Iparraguirre et al). 1997;134:631-8

Significance of the Thrombolysis in Myocardial Infarction scoring system in assessing infarct-related artery reperfusion and mortality rates after acute myocardial infarction (Fath-Ordoubadi et al). 1997;134:62-8

Reproducibility of results

Short-term reproducibility of cardiopulmonary measurements during exercise testing in patients with severe chronic heart failure (Meyer et al). 1997;134:20-6

Respiration

Right and left ventricular diastolic function in patients with and without heart failure: effect of age, sex, heart rate, and respiration on Doppler-derived measurements (Yu and Sanderson). 1997;134:426-34

Restenosis

Effectiveness of tranilast on restenosis after directional coronary atherectomy (Kosuga et al). 1997;134:712-8

Reused angioplasty equipment; see Equipment and supplies**Revascularization**

Effect of coronary angioplasty on QT dispersion (Kelly et al). 1997;134:399-405

Review

Lessons for the editors (Califf and Mark). 1997;134:1-2 (Editorial)

Right ventricular function; see Ventricular function**Risk factors**

- Changing myocardial infarction population characteristics: reasons and implications (Pepine). 1997;134:S1-4
- Increasing age is a major risk factor for hemorrhagic complications after pulmonary embolism thrombolysis (Mikkola et al). 1997;134:69-72
- Risk factors for life-threatening cavopulmonary thrombosis in patients undergoing bidirectional superior cavopulmonary shunt: an exploratory study (Forbes et al). 1997;134:865-71
- Use and accuracy of state death certificates for classification of sudden cardiac deaths in high-risk populations (Every et al). 1997;134:1129-32

S**Saphenous vein**

Short- and long-term outcome of narrowed saphenous vein bypass graft: a comparison of Palmaz-Schatz stent, directional coronary atherectomy, and balloon angioplasty (Waksman et al). 1997;134:274-81

Sarcoidosis

Incidence of cardiac sarcoidosis in Japanese patients with high-degree atrioventricular block (Yoshida et al). 1997;134:382-6

Serotonin

Cardiovascular complications of malignant carcinoid disease (Anderson et al). 1997;134:693-702

Sex

Congestive heart failure in patients with coronary artery disease: the gender paradox (Mendes et al). 1997;134:207-12

Sex characteristics

Relation of gender to physician use of test results and to the prognostic value of stress technetium 99m sestamibi myocardial single-photon emission computed tomography scintigraphy (Travin et al). 1997;134:73-82

Sex factors

Right and left ventricular diastolic function in patients with and without heart failure: effect of age, sex, heart rate, and respiration on Doppler-derived measurements (Yu and Sanderson). 1997;134:426-34

Sex and diagnostic evaluation of possible coronary artery disease after exercise treadmill testing at one academic teaching center (Lauer et al). 1997;134:807-13

Signal-averaged electrocardiography; see Electrocardiography**Signal transduction**

Evaluation of P wave signal-averaged electrocardiographic filtering and analysis methods (Ehlert et al). 1997;134:985-93

Single-photon emission-computed tomography scintigraphy; see Tomography, emission-computed, single-photon**Smoking**

Clinical implications of cigarette smoking in acute myocardial infarction: acute angiographic findings and long-term prognosis (Ishihara et al). 1997;134:955-60

Social dominance

Coronary disease-prone behavior among Japanese men: job-centered lifestyle and social dominance (Hayano et al). 1997;134:1029-36

Sotalol

Efficacy and safety of sotalol in patients with refractory atrial fibrillation or flutter (Galik et al). 1997;134:155-60

Patient characteristics and underlying heart disease as predictors of recurrent atrial fibrillation after internal and external cardioversion in patients treated with oral sotalol (Alt et al). 1997;134:419-25

ST segment; see Electrocardiography**Staphylokinase**

Randomized coronary patency trial of double-bolus recombinant staphylokinase versus front-loaded alteplase in acute myocardial infarction (Vanderschueren et al). 1997;134:213-9

Starr-Edwards valves; see Heart valve prosthesis**Stent Restenosis Study**

Health after coronary stenting or balloon angioplasty: results from the Stent Restenosis Study (Krumholz et al). 1997;134:337-44

Stents

Comparison of 6F with 7F and 8F guiding catheters for elective coronary angioplasty: results of a prospective, multicenter, randomized trial (Metz et al). 1997;134:131-7

Coronary artery stenting in cardiac allograft vascular disease (Heublein et al). 1997;134:930-8

The evolution of antithrombotic therapy in coronary stenting (Schatz). 1997;134:S77-9

Feasibility and applicability of coronary stent implantation with the direct brachial approach: results of a single-center study (Nolan et al). 1997;134:939-44

Health after coronary stenting or balloon angioplasty: results from the Stent Restenosis Study (Krumholz et al). 1997;134:337-44

Initial experience with long coronary stents: the changing practice of coronary angioplasty (Rozenman et al). 1997;134:355-61

Introduction (Califf). 1997;134:S53-4

Rationale for low-molecular weight heparin in coronary stenting (Zidar). 1997;134:S80-6

Short- and long-term outcome of narrowed saphenous vein bypass graft: a comparison of Palmaz-Schatz stent, directional coronary atherectomy, and balloon angioplasty (Waksman et al). 1997;134:274-81

Stress, psychological

Hanshin-Awaji earthquake as a trigger for acute myocardial infarction (Suzuki et al). 1997;134:974-7

Triggering and the pathophysiology of acute coronary syndromes (Toffer). 1997;134:S55-61

Stress test; see Exercise test**Stroke volume**

Baseline characteristics of patients in the Coronary Artery Bypass Graft (CABG) Patch Trial (Curtis et al). 1997;134:787-98

Precordial QT dispersion and inducible ventricular tachycardia (Lee et al). 1997;134:1005-13

Prediction of pulmonary capillary wedge pressure and assessment of stroke volume by noninvasive impedance cardiography (Woltjer et al). 1997;134:450-5

Surgery

Expert opinion regarding indications for coronary angiography before noncardiac surgery (Cohen and Eagle). 1997;134:321-9

Surgical menopause; see Menopause, premature**Survival analysis**

Heart failure between 1986 and 1994: temporal trends in drug-prescribing practices, hospital readmissions, and survival at an academic medical center (McDermott et al). 1997;134:901-9

Survival rate

Systolic function, readmission rates, and survival among consecutively hospitalized patients with congestive heart failure (McDermott et al). 1997;134:728-36

Sympathetic nervous system

Long-lasting abnormalities in cardiac sympathetic nervous system in patients with coronary spastic angina: quantitative analysis with iodine 123 metaiodobenzylguanidine myocardial scintigraphy (Inobe et al). 1997;134:112-8

Sympatholytics

Circadian variation of sustained ventricular tachycardia in patients subject to standard adrenergic blockade (Nanthakumar et al). 1997;134:752-7

Syncope

Assessment of autonomic function at rest and during tilt testing in patients with vasovagal syncope (Kochiadakis et al). 1997;134:459-66

Systole

Classification of systolic murmurs: still in search of consensus (Tavel). 1997;134:330-6 (Curriculum cardiol.)

Systolic function, readmission rates, and survival among consecutively hospitalized patients with congestive heart failure (McDermott et al). 1997;134:728-36

Use of angiotensin-converting enzyme inhibitors in heart failure with preserved left ventricular systolic function (Philbin and Rocco). 1997;134:188-95

T**Tachycardia, atrioventricular nodal reentry**

Atrioventricular node reentrant tachycardia in patients with a long fast pathway effective refractory period: clinical features, electrophysiologic characteristics, and results of radiofrequency ablation (Lee et al). 1997;134:387-94

Differential effects of adenosine on antegrade and retrograde fast pathway conduction in atrioventricular nodal reentry (Lee et al). 1997;134:799-806

Tachycardia, ventricular

Circadian variation of sustained ventricular tachycardia in patients subject to standard adrenergic blockade (Nanthakumar et al). 1997;134:752-7

Depressed arterial baroreflex sensitivity and not reduced heart rate variability identifies patients with chronic heart failure and nonsustained ventricular tachycardia: the effect of high ventricular filling pressure (Mortara et al). 1997;134:879-88

Long-term prognostic significance of ventricular late potentials after a first acute myocardial infarction (Zimmermann et al). 1997;134:1019-28

Precordial QT dispersion and inducible ventricular tachycardia (Lee et al). 1997;134:1005-13

Technetium Tc 99m sestamibi

Relation of gender to physician use of test results and to the prognostic value of stress technetium 99m sestamibi myocardial single-photon emission computed tomography scintigraphy (Travin et al). 1997;134:73-82

Safety of early intravenous dipyridamole technetium 99m sestamibi SPECT myocardial perfusion imaging after uncomplicated first myocardial infarction (Heller et al). 1997;134:105-11

Thalassemia major

Pulmonary hypertension in patients with thalassemia major (Du et al). 1997;134:532-7

Thallium radioisotopes

Low dose dobutamine echocardiography is more predictive of reversible dysfunction after acute myocardial infarction than resting single photon emission computed tomographic thallium-201 scintigraphy (Smart et al). 1997;134:822-34

Thermal conductivity

Laser balloon angioplasty combined with local intracoronary heparin therapy: immediate and short-term follow-up results (Glazier et al). 1997;134:266-73

Thrombolysis in Myocardial Infarction 4 Trial

Relation between injections before 90-minute angiography and coronary patency: results of the Thrombolysis in Myocardial Infarction 4 Trial (Gibson et al). 1997;134:351-4

Thrombolytic therapy

Attenuation over 24 hours of the efficacy of thrombolysis of pulmonary embolism among patients with cancer (Mikkola et al). 1997;134:603-7

Directional coronary atherectomy for the treatment of acute myocardial infarction (Kurusu et al). 1997;134:345-50

Early behavior of biochemical markers in patients with Thrombolysis in Myocardial Infarction grade 2 flow in the infarct artery as opposed to other flow grades after intravenous thrombolysis for acute myocardial infarction (Laperche et al). 1997;134:1044-51

Hyperbaric oxygen and thrombolysis in myocardial infarction: the "HOT MI" Pilot Study (Shandling et al). 1997;134:544-50

Increasing age is a major risk factor for hemorrhagic complications after pulmonary embolism thrombolysis (Mikkola et al). 1997;134:69-72

Myoglobin, creatine kinase MB, and cardiac troponin-1 to assess reperfusion after thrombolysis for acute myocardial infarction: results from TIMI 10A (Tanasijevic et al). 1997;134:622-30

Prognostic value of clinical markers of reperfusion in patients with acute myocardial infarction treated by thrombolytic therapy (Iparaguire et al). 1997;134:631-8

Relation between injections before 90-minute angiography and coronary patency: results of the Thrombolysis in Myocardial Infarction 4 Trial (Gibson et al). 1997;134:351-4

Significance of the Thrombolysis in Myocardial Infarction scoring system in assessing infarct-related artery reperfusion and mortality rates after acute myocardial infarction (Fath-Ordoubadi et al). 1997;134:62-8

Treatment of acute myocardial infarction today (Maggioni et al). 1997;134:S9-14

Thromboplastin

Increased plasma tissue factor levels in acute myocardial infarction (Suefuji et al). 1997;134:253-9

Thrombosis

Increased plasma tissue factor levels in acute myocardial infarction (Suefuji et al). 1997;134:253-9

Risk factors for life-threatening cavopulmonary thrombosis in patients undergoing bidirectional superior cavopulmonary shunt: an exploratory study (Forbes et al). 1997;134:865-71

Thymine

Cardiac abnormalities and cytosine-thymine-guanine trinucleotide repeats in myotonic dystrophy (Hayashi et al). 1997;134:292-7

Tidal volume

Nitric oxide inhalation reduces pulmonary tidal volume during exercise in severe chronic heart failure (Bocchi et al). 1997;134:737-44

Tilt test

Assessment of autonomic function at rest and during tilt testing in patients with vasovagal syncope (Kochiadakis et al). 1997;134:459-66

Passive head-up tilt and actively standing up produce similar overall changes in autonomic balance (Bloomfield et al). 1997;134:316-20

Time

Professor Peter Sleight's reflections on the use of β -blocking agents after myocardial infarction (Sleight). 1997;134:S15-20

Tissue factor; see Thromboplastin**Tomography**

Relation between hormone replacement therapy in women and coronary artery disease estimated by electron beam tomography (McLaughlin et al). 1997;134:1115-9

Tomography, emission-computed, single-photon

Low dose dobutamine echocardiography is more predictive of reversible dysfunction after acute myocardial infarction than resting single photon emission computed tomographic thallium-201 scintigraphy (Smart et al). 1997;134:822-34

Relation of gender to physician use of test results and to the prognostic value of stress technetium 99m sestamibi myocardial single-photon emission computed tomography scintigraphy (Travin et al). 1997;134:73-82

Trandolapril

Treatment with verapamil and trandolapril in patients with congestive heart failure and angina pectoris or myocardial infarction (Hansen et al). 1997;134:548-52

Tranilast

Effectiveness of tranilast on restenosis after directional coronary atherectomy (Kosuga et al). 1997;134:712-8

Transcutaneous electric nerve stimulation

Refractory angina pectoris in end-stage coronary artery disease: evolving therapeutic concepts (Schoebel et al). 1997;134:587-602

Transesophageal echocardiography; see Echocardiography, transesophageal**Transposition of great vessels**

Angiographic study of aorta, coronary arteries, and left ventricular performance after neonatal arterial switch operation for simple transposition of the great arteries (Massin et al). 1997;134:298-305

Transthoracic echocardiography; see Echocardiography**Treadmill exercise test; see Exercise test****Tricuspid valve**

Prominent venous valves in hypoplastic right hearts (Schutte et al). 1997;134:527-31

Troponin

Myoglobin, creatine kinase MB, and cardiac troponin-I to assess reperfusion after thrombolysis for acute myocardial infarction: results from TIMI 10A (Tanasijevic et al). 1997;134:622-30

T-type calcium channel blockers; see Calcium channel blockers**Type A personality**

Coronary disease-prone behavior among Japanese men: job-centered lifestyle and social dominance (Hayano et al). 1997;134:1029-36

U**Ultrasonography**

Arterial remodeling after balloon angioplasty of the coronary artery: an intravascular ultrasound study (Pasterkamp et al). 1997;134:680-4

Failure of intravascular ultrasound to predict dissection after balloon angioplasty by using plaque characteristics (van der Lugt et al). 1997;134:1075-81

Frequency, duration, magnitude, and consequences of myocardial ischemia during intracoronary ultrasonography (Drew et al). 1997;134:474-8

Influence of coronary atherosclerotic remodeling on the mechanism of balloon angioplasty (Timmis et al). 1997;134:1099-106

Intravascular ultrasound assessment of regional aortic wall stiffness, distensibility, and compliance in patients with coarctation of the aorta (Xu et al). 1997;134:93-8

Relation of contrast echo intensity and flow velocity to the amplification of contrast opacification produced by intermittent ultrasound transmission (Ohmori et al). 1997;134:1066-74

Upright posture; see Posture**Urokinase**

Refractory angina pectoris in end-stage coronary artery disease: evolving therapeutic concepts (Schoebel et al). 1997;134:587-602

V**Valvular perforation; see Heart valves****Variant angina; see Angina pectoris, variant****Vascular diseases**

Association of hemostatic factors with peripheral vascular disease (Philipp et al). 1997;134:978-84

Vascular patency

Conservative management of patients with acute myocardial infarction and spontaneous acute patency of the infarct-related artery (Steg et al). 1997;134:248-52

Vasomotor system

Rise of nitric oxide in coronary vasomotion during handgrip exercise (Nishikawa et al). 1997;134:967-73

Variations of segmental endothelium-dependent and endothelium-independent vasomotor tone after cardiac transplantation (qualitative changes in endothelial function) (Weis et al). 1997;134:306-15

Vasovagal syncope; see Syncope**Ventricular function**

Angiographic study of aorta, coronary arteries, and left ventricular performance after neonatal arterial switch operation for simple transposition of the great arteries (Massin et al). 1997;134:298-305

Echocardiography Doppler in pulmonary embolism: right ventricular dysfunction as a predictor of mortality rate (Ribeiro et al). 1997;134:479-87

Enhanced resting left ventricular filling in patients with successful coarctation repair and exercise-induced hypertension (Tantengco et al). 1997;134:1082-8

Evaluation of plasma natriuretic peptides as markers for left ventricular dysfunction (Muders et al). 1997;134:442-9

Myocardial damage does not occur in untreated hyperthyroidism unless associated with congestive heart failure (Martí et al). 1997;134:1133-7

Right and left ventricular diastolic function in patients with and without heart failure: effect of age, sex, heart rate, and respiration on Doppler-derived measurements (Yu and Sanderson). 1997;134:426-34

Use of angiotensin-converting enzyme inhibitors in heart failure with preserved left ventricular systolic function (Philbin and Rocco). 1997;134:188-95

Ventricular function—cont'd

Ventricular late potentials; see Evoked potentials

Ventricular septum; see Heart septum

Ventricular tachycardia; see Tachycardia, ventricular

Verapamil

Treatment with verapamil and trandolapril in patients with congestive heart failure and angina pectoris or myocardial infarction (Hansen et al). 1997;134:S48-52

W

Walking test; see Exercise test

Warfarin

Effects of warfarin on markers of hypercoagulability in patients with heart failure (Jafri et al). 1997;134:27-36

Women

Trends in success rate after percutaneous transluminal coronary angioplasty in men and women with coronary artery disease (Hussain et al). 1997;134:719-27

